


SCHOEPS

Mikrofone



Product Guide & Retail Price List

January 10, 2023

Schoeps products are distributed in the United States and Canada by:
Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: (203) 269.1808 sales@reddingaudio.com

To Locate an Authorized Schoeps Dealer go to: www.reddingaudio.com
Replacement Parts for Schoeps products can be found at www.reddingaudioshop.com



Visual Index by Product Category



COLETTE "CMC" MODULAR MICROPHONE
SERIES | PAGES: 3-7



COLETTE "CMC" ACTIVE COMPONENTS
PAGE: 9



COLETTE "CMC" ACCESSORIES
PAGES: 9




CCM COMPACT MICROPHONES
PAGES: 10-11



CCM ACCESSORIES
PAGES: 12-13



PODIUM, STAGE & STAND SETUPS
PAGES: 14-16



SHOTGUN MICROPHONES
PAGES: 17-18



ORTF STEREO MICROPHONE
PAGE: 19



ACCESSORIES FOR STEREO,
COLETTE & CCM | PAGE: 20



V4 U STUDIO
MICROPHONE | PAGE: 21



SPECIALTY MIC PRODUCTS
PAGE: 22



SURROUND & 3D AUDIO SYSTEMS
PAGES: 23-25



DECCA TREE SETS | PAGE: 25



WINDSCREENS, POP FILTERS
& FOAMS | PAGE: 26



PARABOLIC DISH SETS | PAGE: 27

COLETTE “CMC” MODULAR MICROPHONE SERIES

INDIVIDUAL COMPONENTS AND SETS



COLETTE MODULAR MICROPHONE SERIES - in 1973 Schoeps introduced the first professional Modular Condenser Microphone System with active elements to the world. The Colette Modular System, now commonly referred to as the “CMC Series” is still to this day the most extensive and versatile microphone system ever conceived. Modular “Colette” microphones consist of the combination of two basic units - a MK- microphone capsule and amplifier body.

Active accessories can be connected between the capsule and amplifier of a Colette series microphone. Cut filters, pads, extension tubes, remote cables and capsule swivels are some common examples. The number of possible CMC/MK combinations is quite large - there are 18 types of microphone capsule and 3 basic types of amplifier. With very few exceptions, any type of capsule can be used with any type of amplifier.



AMPLIFIER BODIES - Transformerless, Class-A Microphone Bodies, with RFI Shield

- CMC 1 U, Miniature Amplifier, XLR-3M o/p
- CMC 1 L, Miniature Amplifier, LEMO o/p
- CMC 1 K, Miniature Amplifier, Hardwired 5m Cable, XLR-3M or LEMO 3-pin o/p
- CMC 1 KV, Miniature Amplifier, Side-exit HW 2m Cable, XLR-3M or LEMO 3-pin o/p
- CMC 1 SO, Mini 6” gooseneck to LEMO 3-pin for wireless TX with +48V
- CMC 6, Standard Amplifier, XLR-3M o/p
- CMC 6 xt, Standard Amplifier, Extended HF response to 40 kHz, XLR-3M o/p

CMC amplifiers offer a symmetrical, transformerless, direct-coupled Class A output stage with low impedance, low distortion, and state-of-art rejection of RFI interference.

The “U” suffix means XLR output connector, “L” is for LEMO, “K” hardwired cable



MK CAPSULES - Schoeps offers 18 different microphone capsules, including Cardioid, Wide Cardioid, Omnidirectional, Open Cardioid, Supercardioid and Figure-8 types, as well as a capsule with mechanically switchable patterns (Omni/Cardioid) and several capsule types for close pickup of speech.

A Schoeps capsule will without exception be of small, single diaphragm design.

Schoeps MK capsules are available as factory-selected “matched pairs” for an additional cost.

COLETTE "CMC" MODULAR MICROPHONE SERIES

AMPLIFIER BODIES AND CAPSULES

Item	Details	Price
Amplifiers	<i>All include premium case. CMC 6, CMC 1 U and CMC 6 xt include SG 20, CMC 1 L or K includes SGC</i>	
	<i>Standard Finish is Matte Gray. Custom colors will incur an addition special finish surcharges</i>	
CMC 1 U	Miniature amplifier, 48V or 12V phantom, Balanced XLR-3M output, maximum RFI rejection w/ "RFI-Shield"	\$ 858.00
CMC 1 L	Miniature amplifier, 48V/12V phantom, Balanced LEMO output, w/ "RFI-Shield", Includes K 5 LU cable	\$ 936.00
CMC 1 K	Miniature amplifier w/ Hardwired 5m cable to XLR-3M, 48V/12V phantom, Balanced output, w/ "RFI-Shield"	\$ 936.00
CMC 1 KV XLR	Miniature amplifier w/ Hardwired side-exit 2m cable to XLR-3M, Magnetic back, 48V/12V phantom, Balanced output, w/ "RFI-Shield", Includes magnet accessories	\$ 936.00
	<i>Note: CMC 1 K and CMC 1 KV also available with LEMO 3-pin connector specific to Zaxcom ZMT or Sound Devices A10</i>	
CMC 1 SO ZX	Miniature gooseneck amplifier, 48V, LEMO 3-pin, for direct connect to Zaxcom ZMT Transmitters	\$ 1,192.00
CMC 1 SO SD	Miniature gooseneck amplifier, 48V, LEMO 3-pin, for direct connect to Sound Devices A10 Transmitters	\$ 1,192.00
CMC 6	48V or 12V phantom power, Balanced XLR-3M output, maximum RFI rejection with "RFI-Shield"	\$ 788.00
CMC 6 xt	As CMC 6, with extended response beyond 40 kHz, Balanced XLR-3M output, with "RFI-Shield"	\$ 936.00
MK Capsules	<i>Standard Finish is Matte Gray. Custom colors will incur an addition special order surcharges</i>	
MK 2	Omni, flat frequency response, near field	\$ 862.00
MK 2 H	Omni, mild high frequency emphasis only above 6 kHz, for medium distances	\$ 862.00
MK 2 S	Omni, slight high frequency emphasis for universal use	\$ 862.00
MK 2 XS	Omni, significant high frequency emphasis, diffuse sound field	\$ 862.00
MK 21	Wide Cardioid, directional pattern is between Omni and Cardioid	\$ 862.00
MK 22	Open Cardioid, directional pattern is between Wide Cardioid and Cardioid	\$ 862.00
MK 4	Cardioid, classic unidirectional pattern for universal use	\$ 862.00
MK 4P	Cardioid, with moderate attenuation of proximity effect	\$ 862.00
MK 4 XP	Cardioid, with strong attenuation of proximity effect	\$ 862.00
MK 4 V	Cardioid, side-address, slight HF emphasis	\$ 862.00
MK 4 VP	Cardioid, side-address, with moderate attenuation of proximity effect	\$ 862.00
MK 4 VXP	Cardioid, side-address, with strong attenuation of proximity effect	\$ 862.00
MK 41	Supercardioid, very directional with smooth off-axis response	\$ 862.00
MK 41 V	Supercardioid, very directional, side-address, with smooth off-axis response	\$ 862.00
MK 5	Switchable two-pattern Omni and Cardioid, slight HF emphasis	\$ 1,180.00
MK 8	Figure-eight [Bi-directional], side-address, polar pattern nearly identical at all frequencies	\$ 1,052.00
BLM 03 Cg	Boundary-layer, pressure transducer in 3" disk, hemispherical pattern, 5 m cable, <i>(not compatible w/ CMR)</i>	\$ 1,398.00
	Colette Windshield Sets	
CMC 1 Mono WS Set	Set Includes: CMC 1 U, MK 41, Cinela COSI-XS-CMC1, SG 20, Premium case for CMC 1 U	\$ 2,215.00
CMC 6 Mono WS Set	Set Includes: CMC 6g, MK 41g, Cinela Pianissimo PIANI-1, SG 20, Premium case for CMC 6	\$ 2,435.00


Colette System options such as Capsule Matching and Engraving on next page


COLETTE "CMC" MODULAR MICROPHONE SERIES

OPTIONS

Item	Details	Price
Colette Options		
Add suffix "+5"	+5 dB CMC 6 amplifier, +5 dB sensitivity, 5 dB less headroom, special order	+ \$ 70.00
Add suffix "LIN"	Linear CMC 6 or CMC 6 xt amplifier LF response flat to 3 Hz, special order	+ \$ 70.00
Laser Engraving Standard	Laser Engraving text on amplifier body or capsule, per line, special order	CALL
Laser Engraving Logo	Laser Engraving of your LOGO on amplifier body, requires Vector file, special order	CALL

Matched Capsules





All Schoeps MK capsules and CCM microphones can be delivered as factory selected Matched Pairs for an additional cost.

Matched Pairs are delivered with a hand-signed Certificate from the factory.

Matching is of frequency response and sensitivity within exceptionally low tolerances.

Item	Details	Price
Matched MK Capsules	<i>Standard Finish is Matte Gray. Custom colors will incur an addition special order surcharge</i>	
MK 2g Matched Pair	Omni, Matched Capsule Pair, flat frequency response, near field	\$ 1,794.00
MK 2 Hg Matched Pair	Omni, Matched Capsule Pair, mild high frequency emphasis only above 6 kHz, for medium distances	\$ 1,794.00
MK 2 Hg Matched TRIO	Omni, Matched Capsule Trio, mild high frequency emphasis only above 6 kHz, for medium distances	\$ 2,726.00
MK 2 Sg Matched Pair	Omni, Matched Capsule Pair, slight high frequency emphasis for universal use	\$ 1,794.00
MK 2 Sg Matched TRIO	Omni, Matched Capsule Trio, slight high frequency emphasis for universal use	\$ 2,726.00
MK 2 XSg Matched Pair	Omni, Matched Capsule Pair, significant high frequency emphasis, diffuse sound field	\$ 1,794.00
MK 21g Matched Pair	Wide Cardioid, Matched Capsule Pair, directional pattern is between Omni and Cardioid	\$ 1,794.00
MK 22g Matched Pair	Open Cardioid, Matched Capsule Pair, directional pattern is between Wide Cardioid and Cardioid	\$ 1,794.00
MK 4g Matched Pair	Cardioid, Matched Capsule Pair, classic unidirectional pattern for universal use	\$ 1,794.00
MK 4 Vg Matched Pair	Cardioid, Matched Capsule Pair, side-address, slight HF emphasis	\$ 1,794.00
MK 41g Matched Pair	Supercardioid, Matched Capsule Pair, very directional with smooth off-axis response	\$ 1,794.00
MK 41 Vg Matched Pair	Supercardioid, Matched Capsule Pair, very directional, side-address, with smooth off-axis response	\$ 1,794.00
MK 5g Matched Pair	Switchable two-pattern Omni and Cardioid, Matched Capsule Pair, slight HF emphasis	\$ 2,430.00
MK 8g Matched Pair	Figure-eight [Bi-directional], Matched Capsule Pair, polar pattern nearly identical at all frequencies	\$ 2,174.00

MONO COLETTE “CMC” MODULAR MICROPHONE SETS

COMPLETE SETS WITH ACCESSORIES IN CUSTOM PREMIUM CASE

Item	Details	Price
Mono Sets with CMC 6	<i>Note: Sets are only available in matte gray finish</i>	
CMC62g Set	CMC 6 amplifier, MK 2 Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,664.00
CMC62Hg Set	CMC 6 amplifier, MK 2H Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,664.00
CMC62Sg Set	CMC 6 amplifier, MK 2S Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,664.00
CMC62XSg Set	CMC 6 amplifier, MK 2XS Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,664.00
CMC621g Set	CMC 6 amplifier, MK 21 Wide Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC622g Set	CMC 6 amplifier, MK 22 Open Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC64g Set	CMC 6 amplifier, MK 4 Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC64Vg Set	CMC 6 amplifier, MK 4V Side-Address Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC641g Set	CMC 6 amplifier, MK 41 Supercardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC641C60g Set	CMC 6 amplifier, MK 41 Supercardioid capsule, CUT 60 filter, SG 20 stand clamp, B 5 D popscreen	\$ 1,967.00
CMC641Vg Set	CMC 6 amplifier, MK 41V Side-Address Supercardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,664.00
CMC65g Set	CMC 6 amplifier, MK 5 Switchable Omni/Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,982.00
CMC68g Set	CMC 6 amplifier, MK 8 Figure-eight capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,854.00
	<i>*Above Mono CMC 6 Sets also available with CMC 6 “xt” 40 kHz option as special order</i>	
Mono Sets with CMC 1 U	<i>Note: Sets are only available in matte gray finish</i>	
CMC12g Set	CMC 1 U amplifier, MK 2 Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,734.00
CMC12Hg Set	CMC 1 U amplifier, MK 2H Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,734.00
CMC12Sg Set	CMC 1 U amplifier, MK 2S Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,734.00
CMC12XSg Set	CMC 1 U amplifier, MK 2XS Omni capsule, SG 20 stand clamp, B 5 popscreen	\$ 1,734.00
CMC121g Set	CMC 1 U amplifier, MK 21 Wide Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC122g Set	CMC 1 U amplifier, MK 22 Open Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC14g Set	CMC 1 U amplifier, MK 4 Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC14Vg Set	CMC 1 U amplifier, MK 4V Side-Address Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC141g Set	CMC 1 U amplifier, MK 41 Supercardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC141C60g Set	CMC 1 U amplifier, MK 41 Supercardioid capsule, CUT 60 filter, SG 20 stand clamp, B 5 D popscreen	\$ 2,037.00
CMC141Vg Set	CMC 1 U amplifier, MK 41V Side-Address Supercardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,734.00
CMC15g Set	CMC 1 U amplifier, MK 5 Omni/Cardioid capsule, SG 20 stand clamp, B 5 D popscreen	\$ 2,052.00
CMC18g Set	CMC 1 U amplifier, MK 8 Figure-Eight capsule, SG 20 stand clamp, B 5 D popscreen	\$ 1,924.00
Mono Sets with CMC 1 L	<i>Note: Sets are only available in matte gray finish</i>	
CMC1L2g Set	CMC 1 L amplifier, MK 2 Omni capsule, K5 LU cable, SGC stand clamp, B 5 popscreen	\$ 1,812.00
CMC1L2Hg Set	CMC 1 L amplifier, MK 2H Omni capsule, K5 LU cable, SGC stand clamp, B 5 popscreen	\$ 1,812.00
CMC1L2Sg Set	CMC 1 L amplifier, MK 2S Omni capsule, K5 LU cable, SGC stand clamp, B 5 popscreen	\$ 1,812.00
CMC1L2XSg Set	CMC 1 L amplifier, MK 2XS Omni capsule, K5 LU cable, SGC stand clamp, B 5 popscreen	\$ 1,812.00
CMC1L21g Set	CMC 1 L amplifier, MK 21 Wide Cardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L22g Set	CMC 1 L amplifier, MK 22 Open Cardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L4g Set	CMC 1 L amplifier, MK 4 Cardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L4Vg Set	CMC 1 L amplifier, MK 4V Side-Address Cardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L41g Set	CMC 1 L amplifier, MK 41 Supercardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L41Vg Set	CMC 1 L amplifier, MK 41V Side-Address Supercardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 1,812.00
CMC1L5g Set	CMC 1 L amplifier, MK 5 Switchable Omni/Cardioid capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 2,130.00
CMC1L8g Set	CMC 1 L amplifier, MK 8 Figure-eight capsule, K5 LU cable, SGC stand clamp, B 5 D popscreen	\$ 2,002.00

STEREO COLETTE “CMC” MODULAR MICROPHONE SETS

COMPLETE SETS WITH ACCESSORIES IN CUSTOM PREMIUM CASE

Stereo Sets with CMC 6	<i>Note: Sets are only available in matte gray finish</i>	
Stereo Set MK 2	(2) CMC 6 with MK 2 Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,300.00
Stereo Set MK 2H	(2) CMC 6 with MK 2H Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,300.00
Stereo Set MK 2S	(2) CMC 6 with MK 2S Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,300.00
Stereo Set MK 2XS	(2) CMC 6 with MK 2XS Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,300.00
Stereo Set MK 21	(2) CMC 6 with MK 21 Wide Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 22	(2) CMC 6 with MK 22 Open Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 4	(2) CMC 6 with MK 4 Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 4V	(2) CMC 6 with MK 4V Side-Address Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 41	(2) CMC 6 with MK 41 Supercardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 41V	(2) CMC 6 with MK 41V S Side-Address Supercardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,300.00
Stereo Set MK 5	(2) CMC 6 with MK 5 Omni/Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,936.00
Stereo Set MK 8	(2) CMC 6 with MK 8 Figure-eight matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,680.00
Stereo Sets with CMC 1 U	<i>Note: Sets are only available in matte gray finish</i>	
Stereo Set 12	Stereo Set CMC 1 U + MK 2, Incl. (2) CMC 1 U with MK 2 Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,440.00
Stereo Set 12H	Stereo Set CMC 1 U + MK 2H, Incl. (2) CMC 1 U with MK 2H Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,440.00
Stereo Set 12S	Stereo Set CMC 1 U + MK 2S, Incl. (2) CMC 1 U with MK 2S Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,440.00
Stereo Set 12XS	Stereo Set CMC 1 U + MK 2XS, Incl. (2) CMC 1 U with MK 2XS Omni matched pair, (2) SG 20 stand clamps, B 5 popscreens	\$ 3,440.00
Stereo Set 121	Stereo Set CMC 1 U + MK 21, Incl. (2) CMC 1 U with MK 21 Wide Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,440.00
Stereo Set 122	Stereo Set CMC 1 U + MK 22, Incl. (2) CMC 1 U with MK 22 Open Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,440.00
Stereo Set 14	Stereo Set CMC 1 U + MK 4, Incl. (2) CMC 1 U with MK 4 Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,440.00
Stereo Set 14V	Stereo Set CMC 1 U + MK 4V, Incl. (2) CMC 1 U with MK 4V Side-Address Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,440.00
Stereo Set 141	Stereo Set CMC 1 U + MK 41, Incl. (2) CMC 1 U with MK 41 Supercardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,440.00
Stereo Set 141V	Stereo Set CMC 1 U + MK 41V, Incl. (2) CMC 1 U with MK 41V Side-Address Supercardioid matched pair, (2) SG 20, B 5 D popscreens	\$ 3,440.00
Stereo Set 15	Stereo Set CMC 1 U + MK 5, Incl. (2) CMC 1 U with MK 5 Omni/Cardioid matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 4,076.00
Stereo Set 18	Stereo Set CMC 1 U + MK 8, Incl. (2) CMC 1 U with MK 8 Figure-eight matched pair, (2) SG 20 stand clamps, B 5 D popscreens	\$ 3,820.00
Stereo Sets with CMC 1 L	<i>Note: Sets are only available in matte gray finish</i>	
Stereo Set 1L2	Stereo Set CMC 1 L + MK 2, Incl. (2) CMC 1 L with MK 2 Omni matched pair, (2) K5 LU, SGC stand clamps, B 5 popscreens	\$ 3,596.00
Stereo Set 1L2H	Stereo Set CMC 1 L + MK 2H, Incl. (2) CMC 1 L with MK 2H Omni matched pair, (2) K5 LU, SGC stand clamps, B 5 popscreens	\$ 3,596.00
Stereo Set 1L2S	Stereo Set CMC 1 L + MK 2S, Incl. (2) CMC 1 L with MK 2S Omni matched pair, (2) K5 LU, SGC stand clamps, B 5 popscreens	\$ 3,596.00
Stereo Set 1L2XS	Stereo Set CMC 1 L + MK 2XS, Incl. (2) CMC 1 L with MK 2XS Omni matched pair, (2) K5 LU, SGC stand clamps, B 5 popscreens	\$ 3,596.00
Stereo Set 1L21	Stereo Set CMC 1 L + MK 21, Incl. (2) CMC 1 L with MK 21 Wide Cardioid matched pair, (2) K5 LU, SGC stand clamps, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L22	Stereo Set CMC 1 L + MK 22, Incl. (2) CMC 1 L with MK 22 Open Cardioid matched pair, (2) K5 LU, SGC stand clamps, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L4	Stereo Set CMC 1 L + MK 4, Incl. (2) CMC 1 L with MK 4 Cardioid matched pair, (2) K5 LU, SGC stand clamps, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L4V	Stereo Set CMC 1 L + MK 4V, Incl. (2) CMC 1 L with MK 4V Side-Address Cardioid matched pair, (2) K5 LU, SGC, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L41	Stereo Set CMC 1 L + MK 41, Incl. (2) CMC 1 L with MK 41 Supercardioid matched pair, (2) K5 LU, SGC stand clamps, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L41V	Stereo Set CMC 1 L + MK 41V, Incl. (2) CMC 1 L with MK 41V Side-Address Supercardioid matched pair, (2) K5 LU, SGC, B 5 D popscreens	\$ 3,596.00
Stereo Set 1L5	Stereo Set CMC 1 L + MK 5, Incl. (2) CMC 1 L with MK 5 Switchable Omni/Cardioid matched pair, (2) K5 LU, SGC, B 5 D popscreens	\$ 4,232.00
Stereo Set 1L8	Stereo Set CMC 1 L + MK 8, Incl. (2) CMC 1 L with MK 8 Figure-eight matched pair, (2) K5 LU, SGC, B 5 D popscreens	\$ 3,976.00

“ACTIVE” COMPONENTS FOR COLETTE MODULAR MICROPHONES

INSERTED BETWEEN CAPSULE AND AMPLIFIER OF COLETTE SERIES



ACTIVE COMPONENTS FOR COLETTE MODULAR SYSTEM - Active components are inserted between capsule and microphone amplifier of Colette “CMC” Series microphones. Filters, pads, extension cables and goosenecks are among these accessories. An Active-type component can be uniquely important, for example, an Active Pad will attenuate the signal before the first stage of the amplifier thus raising the SPL maximum of the microphone by 10 or 20 dB.



CUT 60 Filter



GVC Swivel



RS 420 C

Item	Details	Price
	<i>Standard Finish is Matte Gray. Nickel finish and custom colors will incur an addition special finish surcharge</i>	
CUT 60g	Fixed low-cut filter, 60 Hz at 24 dB/oct.	\$ 303.00
GVCg	Passive capsule swivel, adjustable angle from 0° to 120°	\$ 335.00
KC 5g	Active Colette Cable, 5 meter (16')	\$ 407.00
KC 10g	Active Colette Cable, 10 meter (32')	\$ 444.00
KC 20g	Active Colette Cable, 20 meter (64')	\$ 518.00
PAD 10 C	10 dB pad, attenuates signal before amplifier, (2 x PAD 10 in series = 15 dB pad) <i>*Formally DZC 10</i>	\$ 148.00
PAD 20 C	20 dB pad, attenuates signal before amplifier <i>*Formally DZC 20</i>	\$ 148.00
RS 420 Cg	420 mm (17") Active gooseneck/tube, Flex section only at base	\$ 518.00
S 250 Cg	250 mm (9.8") Active gooseneck	\$ 490.00
SRS 420 Cg	420 mm (17") Active gooseneck/tube, Flex section at both base and capsule end, straight tube in middle	\$ 549.00
TR200 KC 2g	Elegant, fully adjustable desk stand with 2 meter (6.5') active cable	\$ 944.00
	<i>For Podium and Tabletop Setups see Page 14</i>	
	<i>For RC Active Tube Systems see Page 15</i>	

ACCESSORIES FOR COLETTE MODULAR MICROPHONES



ACCESSORIES FOR COLETTE MODULAR SYSTEM - Schoeps puts a special emphasis on the maximum usability for the microphones. For this reason, they produce a stunning array of accessories to support their microphones. These accessories are designed for long service life and for their ability to help the user adapt his or her microphones to the demands of any situation.



H 20 Cable Hanger



KA 40



SG 20

Item	Details	Price
A 20	Elastic suspension with swivel, and cable clamp for CMC / MK	\$ 90.00
A 20 S	As above but with stiffer elastics for CMC / MK with CUT 1 or GVC	\$ 90.00
AMS 22	Elastic suspension with swivel and cable clamp for two CMC mics in M/S array	\$ 228.00
BLCg	Boundary-Layer Adapter for CCM4/41 or MK 4/41 capsule with active cable	\$ 160.00
H 20g	Cable hanger for 20/21mm mics, variable vertical positioning, anti-twist cable clamp	\$ 143.00
HC 3	Miniature cable hanger for CCM_L microphones and 2018 version of KC 5g with MK-, for 3mm OD cables	\$ 16.00
HC 4	Miniature cable hanger for CCM_K microphones and classic version of KC 5g with MK-, for 4mm OD cables	\$ 16.00
KA 40	40 mm sphere for CCM 2HL/2SL or CMC62H/S, provides slight elevated Mid presence plateau and directivity	\$ 160.00
MDZ 10 U	10 dB inline attenuator barrel for phantom powered microphones	\$ 67.00
MH 3/8	Strong magnet with 3/8" thread, for attaching a microphone clamp to a metal surface, e.g. in a grand piano or on a door frame	\$ 24.00
MS-BLM	M/S double clamp for mounting a CCM 8 or MK 8 with active cable to a BLM 3	\$ 74.00
SG 20	20 mm diameter stand clamp with swivel	\$ 24.00
SGC	Miniature stand mount with swivel for CCM or MK capsule with active cable or CMR	\$ 12.00
SGCM	As SGC above, with black chrome finished metal clamp and thumbscrew tightener	\$ 46.00
	Magnet Accessories for CMC 1 KV	
KV A30 MAGNET	KV A30 MAGNET, 30° Magnetic Angle Adaptor for CMC 1 KV	\$ 25.00
KV A45 MAGNET	KV A45 MAGNET, 45° Magnetic Angle Adaptor for CMC 1 KV	\$ 25.00
KV SC MAGNET	KV SC MAGNET, 50mm diameter Suction Cup with Magnet for CMC 1 KV	\$ 18.00
KV DISC MAGNET	KV DISC MAGNET, 20mm diameter Disc Magnet for CMC 1 KV	\$ 8.00
KV MAGNETIC PAD	KV MAGNETIC PAD, 5 cm diameter Magnetic Pad for CMC 1 KV	\$ 10.00

CCM_L COMPACT CONDENSER MICROPHONES

LEMO DISCONNECT VERSION WITH 5 METER CABLE



CCM L (LEMO) COMPACT CONDENSER MICROPHONES - The Schoeps CCM Compact Series represents a benchmark in the miniaturization of classic condenser microphone technology. Schoeps was able to achieve an elegant, small microphone range without any compromise in quality. CCM microphones are much smaller in length than the Colette Series. The capsules are identical to the corresponding Colette models, while the amplifiers follow the same circuit principles as a CMC 6 amplifier. The capsule and amplifier of the CCM form an inseparable unit in a single housing. The capsules cannot be interchanged as in the Colette System. The "L" refers to its removable cable via a special Lemo

CCM_L Lemo Disconnect Versions below [CCM_K hardwired cable versions next page]

CCM_L Microphones Feature:

- True condensers - do not require electronic frequency response correction
- Balanced, low-impedance output via removable 5 meter cable - Lemo to XLR-3M connector
- For universal use
- Small and light
- The Lemo disconnect allows for use of special accessories, some similar to Active components of the Colette Series
- Boast extremely flat frequency response
- Sound is extensively independent of directional pattern
- Have low noise and distortion
- Run on both 48 V or 12 V phantom
- Can be used with very long cables (over 100 meters)
- Matte gray non-reflective surface as standard surface finish

Each CCM_L microphone Includes a K5 LU (16') detachable cable - Lemo to XLR-3M, 3 mm cable diameter

Item	Details	Price
CCM_L (LEMO)	<i>CCM Microphones with Lemo disconnect, each includes K5 LU cable, SGC and premium case</i>	
CCM 2 Lg	Omni, flat frequency response, near field	\$ 1,858.00
CCM 2H Lg	Omni, mild high frequency emphasis only above 6 kHz, for medium distances	\$ 1,858.00
CCM 2S Lg	Omni, slight high frequency emphasis for universal use	\$ 1,858.00
CCM 2XS Lg	Omni, significant high frequency emphasis, diffuse sound field	\$ 1,858.00
CCM 21 Lg	Wide Cardioid, directional pattern is between Omni and Cardioid	\$ 1,858.00
CCM 21H Lg	Wide Cardioid, with high frequency emphasis for more brilliant sound image	\$ 1,858.00
CCM 22 Lg	Open Cardioid, directional pattern is between Wide Cardioid and Cardioid	\$ 1,858.00
CCM 4 Lg	Cardioid, classic unidirectional pattern for universal use	\$ 1,858.00
CCM 4P Lg	Cardioid, with moderate attenuation of proximity effect	\$ 1,858.00
CCM 4XP Lg	Cardioid, with strong attenuation of proximity effect	\$ 1,858.00
CCM 4V Lg	Cardioid, side-address, classic unidirectional pattern, slight HF emphasis	\$ 1,858.00
CCM 4VP Lg	Cardioid, side-address, with moderate attenuation of proximity effect	\$ 1,858.00
CCM 4VXP Lg	Cardioid, side-address, with strong attenuation of proximity effect	\$ 1,858.00
CCM 41 Lg	Supercardioid, very directional with smooth off axis response	\$ 1,858.00
CCM 41V Lg	Supercardioid, side-address, very directional with smooth off axis response	\$ 1,858.00
CCM 8 Lg	Figure-eight [Bi-directional], side-address, polar pattern nearly identical at all frequencies	\$ 2,088.00
CCM Matching	Factory matched pair of like-model CCM microphones with factory certificate	+ \$ 70.00
CCM M/S Windshield Set	Includes CCM 4 L, CCM 8 L, Stereo Cyclone MS Kit 1, KS 5 U, AK SU/2U and (2) ea. SGC, K 5 LU, Premium CCM case	\$ 5,148.00

CCM_K COMPACT CONDENSER MICROPHONES

HARDWIRED VERSION WITH ATTACHED 5 METER CABLE



CCM_K (HARDWIRED CABLE) COMPACT CONDENSER MICROPHONES - The Schoeps CCM Compact Series represents a benchmark in the miniaturization of classic condenser microphone technology. Schoeps was able to achieve an elegant, small microphone range without any compromise in quality. CCM microphones are much smaller in length than the Colette Series. The capsules are identical to the corresponding Colette models, while the amplifiers follow the same circuit principles as a CMC 6 amplifier. The capsule and amplifier of the CCM form an inseparable unit in a single housing. The capsules cannot be interchanged as in the Colette System. The "K" refers to its Hardwired 5 meter cable

CCM_K Hardwired Versions below

**FORMALLY NAMED CCM_U*

CCM_K Microphones Feature:

- True condensers - do not require electronic frequency response correction
- Slightly shorter in length compared to CCM_L versions
- Balanced, low-impedance output via attached 5 meter cable to XLR-3M connector
- For universal use
- Small and light, perfect for permanent installations requiring hanging microphones
- Boast extremely flat frequency response
- Sound is extensively independent of directional pattern
- Have low noise and distortion
- Run on both 48 V or 12 V phantom
- Can be used with very long cables (over 100 meters)
- Matte gray non-reflective surface as standard surface finish

Each CCM_K includes attached 5 meter (16') hardwired cable (XLR-3M)

Item	Details	Price
CCM_K (Hardwire)	<i>CCM Hardwire Microphones include SGC and premium case</i>	
CCM 2 Kg	Omni, flat frequency response, near field	\$ 1,858.00
CCM 2H Kg	Omni, mild high frequency emphasis only above 6 kHz, for medium distances	\$ 1,858.00
CCM 2S Kg	Omni, slight high frequency emphasis for universal use	\$ 1,858.00
CCM 2XS Kg	Omni, significant high frequency emphasis, diffuse sound field	\$ 1,858.00
CCM 21 Kg	Wide Cardioid, directional pattern is between Omni and Cardioid	\$ 1,858.00
CCM 21H Kg	Wide Cardioid, with high frequency emphasis for more brilliant sound image	\$ 1,858.00
CCM 22 Kg	Open Cardioid, directional pattern is between Wide Cardioid and Cardioid	\$ 1,858.00
CCM 4 Kg	Cardioid, classic unidirectional pattern for universal use	\$ 1,858.00
CCM 4P Kg	Cardioid, with moderate attenuation of proximity effect	\$ 1,858.00
CCM 4XP Kg	Cardioid, with strong attenuation of proximity effect	\$ 1,858.00
CCM 4V Kg	Cardioid, side-address, classic unidirectional pattern, slight HF emphasis	\$ 1,858.00
CCM 4VP Kg	Cardioid, side-address, with moderate attenuation of proximity effect	\$ 1,858.00
CCM 4VXP Kg	Cardioid, side-address, with strong attenuation of proximity effect	\$ 1,858.00
CCM 41 Kg	Supercardioid, very directional with smooth off axis response	\$ 1,858.00
CCM 41V Kg	Supercardioid, side-address, very directional with smooth off axis response	\$ 1,858.00
CCM 8 Kg	Figure-eight [Bi-directional], side-address, polar pattern nearly identical at all frequencies	\$ 2,088.00
CCM Matching	Factory matched pair of like-model CCM microphones with official certificate	+ \$ 70.00

CCM ACCESSORIES



Item	Details	Price
	<i>Standard CCM accessories that work with either CCM_L, CCM_K version microphones or CMC 1 L</i>	
BLCg	Boundary-Layer Adapter for CCM4/41 or MK 4/41 capsule with active cable or CMC 1 L or CMC 1 K	\$ 160.00
HC 3	Miniature cable hanger for CCM_L microphones and 2018 version of KC 5g with MK-, for 3mm OD cables	\$ 16.00
HC 4	Miniature cable hanger for CCM_K microphones and classic version of KC 5g with MK-, for 4mm OD cables	\$ 16.00
KA 40	40 mm sphere for CCM2HL/2SL or CMC62H/S, provides slight elevated Mid presence plateau and directivity	\$ 160.00
MKH	Microphone Cable Sleeve, for anchoring hanging CCM_L microphone with nylon string/monofilament	\$ 95.00
MS-BLM	M/S double clamp for mounting a CCM 8 or MK 8 with active cable to a BLM 3	\$ 74.00
SGC	Miniature stand mount with swivel for CCM or MK capsule with active cable, CMR or CMC 1 L / CMC 1 K	\$ 12.00
SGCM	As SGC above, with black chrome finished metal clamp and thumbscrew tightener	\$ 46.00

CCM_L & CMC 1 L Lemo Version ONLY ACCESSORIES

ACCESSORIES THAT INCORPORATE LEMO CONNECTION(S)



Item	Details	Price
	<i>CCM accessories that work with only CCM_L or CMC 1 L version microphones</i>	
AK 2L/SU	Stereo Adapter "Y" cable, (2) Lemo to XLR-5M, for CCM_L mics or CMC 1 L in stereo pair	\$ 240.00
K 5 L-TA3	5 meter (16') cable with Lemo to TA3F (Mini XLR-3F) for CCM_L or CMC 1 L, for Balanced TA3 inputs with +48V	\$ 116.00
K 5 LU	5 meter (16') cable with Lemo to XLR-3M, for CCM_L mics, CMC 1 L and RL Tubes	\$ 116.00
K 10 LU	10 meter (32') cable with Lemo to XLR-3M, for CCM_L mics, CMC 1 L and RL Tubes	\$ 145.00
K 20 LU	20 meter (65') cable with Lemo to XLR-3M, for CCM_L mics, CMC 1 L and RL Tubes	\$ 208.00
MINIX CCM LU RF	Mini shockmount for CCM (Lemo version) microphone or CMC 1 L/MK on a boom pole, intergrated RF filter	\$ 375.00
S 170 Lg	170 mm Gooseneck for hanging of CCM_L or CMC 1 L (in between mic and K5 LU cable)	\$ 282.00
S 250 LUg	250 mm (10") CCM_L gooseneck for CCM_L or CMC 1 L with XLR-3M base	\$ 419.00
S 250 L5Ug	250 mm (10") CCM_L or CMC 1 L gooseneck with side-exit 5 m (16') cable to XLR-3M	\$ 419.00
RS 420 L5Ug	420 mm (17") CCM_L or CMC 1 L gooseneck/tube, Flex section at base, 5 m cable to XLR-3M	\$ 494.00
SRS 420 L5Ug	As RS 420 L5Ug above, Flex section at both base and capsule end	\$ 518.00
TR 200 Lg	Elegant, fully adjustable desk stand for CCM_L or CMC 1 L, requires K 5 LU	\$ 728.00
TSR 200 Lg	Fully adjustable desk stand/integrated gooseneck for CCM_L or CMC 1 L, requires K 5 LU	\$ 728.00

PODIUM & TABLETOP MOUNTING FOR COLETTE AND CCM

MOUNTING FIXTURES AND TABLE SOLUTIONS



Item	Details	Price
For Podium or Tabletop		
TEF-S	Light tabletop mounting adapter for goosenecks of lengths up to 250mm (without B 1 D or B 5 D)	\$ 34.00
TEF-M	Medium tabletop mounting adapter for goosenecks/tubes of lengths up to 350mm	\$ 46.00
TEF-H	Heavy tabletop mounting adapter for goosenecks/tubes of lengths up to 420mm	\$ 46.00
RLG 350 Ug	350 mm straight extension tube with two swivels for CCM_L, XLR-3M output (Podium use with TEF-H)	\$ 578.00
ST 20 3/8	Mounting cylinder insert with 3/8" threaded male stud for use with TEF or AF 1 or A20 S suspension	\$ 45.00
ST 20 3/8 Long	Longer mounting cylinder insert with 3/8" threaded male stud for use with TEF-H for e.g. RLG 350 Ug	\$ 45.00
STR-TC	Short rod with 3/8" female to 3/8" threaded male tip used with AF 1 to attach mic clamp, e.g. SGC	\$ 24.00
T 20	T 20 Table Stand, 20mm mic clip, for CMC 1 U	\$ 129.00
T 5g	Heavy, elegant round table stand with 3/8" threaded stud	\$ 265.00
TCg	Miniature table stand with wire loop for CCM or MK capsule with active cable	\$ 129.00
TC 2g	As TCg but for (2) CCMs or MK capsules with active cables	\$ 218.00

PODIUM & TABLETOP MICROPHONES

PREMIUM QUALITY "SPECIAL PURPOSE" MICROPHONES



BL CCM 3



TIMK 4 5U

Item	Details	Price
BL CCM 3	Boundary-Layer CCM microphone for fixed installations in a table or podium	\$ 2,040.00
TIMK 4 5U	Cardioid Table Top Microphone with attached 5 m cable to XLR-3M, Balanced	\$ 2,183.00
TIMK 41 5U	Supercardioid Table Top Microphone with attached 5 m cable to XLR-3M, Balanced	\$ 2,183.00
CMC 1 Table Set MK 4	Includes: CMC 1 Ug, MK 4g Cardioid, T 20 Table Stand, premium case, matte gray	\$ 1,849.00
CMC 1 Table Set MK 41	Includes: CMC 1 Ug, MK 41g Supercardioid, T 20 Table Stand, premium case, matte gray	\$ 1,849.00

STAGE ACCESSORIES FOR COLETTE SERIES

THE FAMOUS RC ACTIVE "TENOR" TUBES



Item	Details	Price
	<i>Standard Finish is Matte Gray, Custom colors will incur an addition special finish surcharge</i>	
RC Set Singer CMC 6	Complete stage set with Cardioid: CMC 6, MK 4, RC 1200, RG 8, STR 350, BF 250, B 5 D	\$ 2,643.00
RC Set Violin CMC 6	Complete stage set with Cardioid: CMC 6, MK 4, RC 700, RG 8, STR 1000, BF 250	\$ 2,633.00
RC Set Singer CMC 1	Complete stage set with Cardioid: CMC 1 U, MK 4, RC 1200, RG 8, STR 350, BF 250, B 5 D	\$ 2,713.00
RC Set Violin CMC 1	Complete stage set with Cardioid: CMC 1 U, MK 4, RC 700, RG 8, STR 1000, BF 250	\$ 2,703.00
	<i>(Minimum setup requires a CMC amplifier, MK Capsule, BF 250, STR rod & RC tube)</i>	
BF 250	Heavy, vibration damped floor base for STR vertical support rod or STA 1420 L3Ug	\$ 200.00
SM 270	Vibration isolation mat for BF 250 Floor Stand	\$ 62.00
STR 100	100 mm (4.5") vertical support rod for short RC / RL tubes on T 5g stand or with TEF	\$ 78.00
STR 150	150 mm (5.9") vertical support rod for short RC / RL tubes on T 5g stand or with TEF	\$ 78.00
STR 250	250 mm (10") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 78.00
STR 350	350 mm (14") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 78.00
STR 600	600 mm (24") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 104.00
STR 1000	1000 mm (39") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 104.00
RC 350g	350 mm (14") Active Tube, CMC threads on tube, includes RG 8 swivel	\$ 679.00
RC 700g	700 mm (28") Active Tube, CMC threads on tube, includes RG 8 swivel	\$ 679.00
RC 1200g	1200 mm (47") Active Tube, CMC threads on tube, includes RG 8 swivel	\$ 679.00
RC 350 KC 0.5g	As RC 350g above but with 0.5 m (20") exposed KC Active Cable, includes RG 8 swivel	\$ 716.00
RC 700 KC 0.5g	As RC 700g above but with 0.5 m (20") exposed KC Active Cable, includes RG 8 swivel	\$ 716.00
RC 1200 KC 0.5g	As RC 1200g above but with 0.5 m (20") exposed KC Active Cable, includes RG 8 swivel	\$ 716.00
SR 1450C BOC	1450 mm RC-type extension tube with 6" gooseneck section at capsule side, for CMC/MK, incl. RG 8	\$ 944.00
R2C 350 KC 0.5g	Twin version of RC350 KC, (2) RC tubes in parallel, 0.5 m (20") exposed KC Active Cables, incl. RG 88	\$ 1,593.00
R2C 700 KC 0.5g	Twin version of RC700 KC, (2) RC tubes in parallel, 0.5 m (20") exposed KC Active Cables, incl. RG 88	\$ 1,593.00
R2C 1200 KC 0.5g	Twin version of RC1200 KC, (2) RC tubes in parallel, 0.5 m (20") exposed KC Active Cables, incl. RG 88	\$ 1,593.00
Attachments		
RG 8	Swivel for mounting Active Colette Tube to STR support rod	\$ 30.00
RG 88	Swivel for mounting R2C Tube or (2) parallel RC / RL tubes to STR support rod	\$ 100.00
RG 12	For connecting two parallel STR Rods together	\$ 68.00

STAGE ACCESSORIES FOR CCM_L SERIES OR CMC 1 L

CCM SERIES VERSION OF THE FAMOUS "TENOR" TUBES




Item	Details	Price
Heavy Base	<i>(Minimum setup requires a CCM_L microphone, BF 250, STR rod & RL tube)</i>	
BF 250	Heavy, vibration damped base for STR support rod, STA 1420 L3Ug or STV 900/1400 L3Ug	\$ 200.00
SM 270	Vibration isolation mat for BF 250 Floor Stand	\$ 62.00
STR Vertical Rods	<i>STR vertical rods fit into BF 250 and hold the RL- tube via the RG 8 swivel</i>	
STR 100	100 mm (4.5") vertical support rod for short RC / RL tubes on T 5g stand or with TEF	\$ 78.00
STR 150	150 mm (5.9") vertical support rod for short RC / RL tubes on T 5g stand or with TEF	\$ 78.00
STR 250	250 mm (10") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 78.00
STR 350	350 mm (14") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 78.00
STR 600	600 mm (24") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 104.00
STR 1000	1000 mm (39") vertical support rod for RC, R2C, RCY, RL tubes etc. on BF 250	\$ 104.00
	<i>RL tubes via the RG swivel attach to the STR vertical rod</i>	
RL 350g	350 mm (14") straight tube with swivel and RG 8 for CCM_L or CMC 1 L, Lemo output, requires K 5 LU	\$ 600.00
RL 700g	700 mm (28") straight tube with swivel and RG 8 for CCM_L or CMC 1 L, Lemo output, requires K 5 LU	\$ 600.00
RL 1200g	1200 mm (47") straight tube w/ swivel and RG 8 for CCM_L or CMC 1 L, Lemo output, requires K 5 LU	\$ 600.00
STA 1400 L3Ug	1400 mm (4.6') vertical tube for CCM_L or CMC 1 L w gooseneck (420mm) top section, <i>Use with BF 250 (Sold separately)</i>	\$ 601.00
Attachments		
RG 8	Swivel for mounting RL Tube to STR support rod	\$ 30.00
RG 88	Swivel for mounting RL Tube or (2) parallel RL tubes to STR support rod	\$ 100.00
RG 12	For connecting two parallel STR Rods together	\$ 68.00

SHOTGUN MICROPHONES

CMIT 5, MiniCMIT AND KITS



CMIT 5 SHOTGUN MICROPHONE - The CMIT 5 directional pattern increases smoothly with higher frequencies, which results in a very balanced sonic character. In addition to this, the microphone's sound level decreases softly yet steadily for off-axis sounds, allowing these to be recorded neutrally while reducing the effects of movement during boom operation. The CMIT 5 also has a much stronger directional pattern than one might expect from a microphone of its length. If required, the CMIT 5 can also be used for music - from opera to live popular music performances. The CMIT 5 benefits from state-of-the-art RF rejection technology and will perform even in harsh RF environments.



MiniCMIT SHOTGUN MICROPHONE - A shorter version of the Schoeps Shotgun made possible by miniaturized electronics. With no compromise in sound quality compared to the famous CMIT 5U the Mini boasts unique features like a fixed 70Hz / 24dB Low-Cut filter and only 2.3mA current consumption at 48V. The MiniCMIT benefits from state-of-the-art RF rejection technology and will perform even in harsh RF environments. Weighs only 78g with a super-short length of 151mm.



Item	Details	Price
	<i>CMIT 5 Microphones include SG20 stand adaptor, W 140 foam windscreen and premium case</i>	
CMIT 5	48V phantom power, balanced output, integrated filter set, robust RF rejection, Includes wood box, W 140 foam windscreen & SG 20 stand clamp, Blue finish color	\$ 2,362.00
CMIT 5ag	48V phantom power, balanced output, integrated filter set, robust RF rejection, W 140 foam windscreen, SG20 stand clamp, Premium case, Anthracite Gray finish color (extra charge)	\$ 2,432.00
CMIT 5 CG	48V phantom power, balanced output, integrated filter set, robust RF rejection, Includes W 140 foam windscreen, SG 20 stand clamp, Premium case, Chroma Green finish color (extra charge, special order ETA 6-8 weeks)	\$ 2,492.00
	<i>CMIT 5 Shotgun Microphone Sets for boom-pole mounting and wind shielding</i>	
CMIT Softie Set	Includes CMIT 5, Rycote 12cm Classic-Softie (19/22) Windshield, Rycote Duo-Lyre Mount w/ Pistol Grip Handle, W 140b, SG 20, Premium case	\$ 2,569.00
CMIT SSFT Set	Includes CMIT 5, Rycote 15cm Super-Softie (19/22) Windshield, Rycote InVision INV-7HG mkIII Duo-Lyre shockmount, W 140b, SG 20, Premium case	\$ 2,589.00
CMIT SSM Set	Includes CMIT 5, Rycote Medium Super-Shield Windshield Kit, W 140b, SG 20, Premium case	\$ 2,725.00
CMIT WS4 Set	Includes CMIT 5, Rycote Modular Windshield 4 Kit, W 140b, SG 20, Premium case	\$ 2,975.00
CMIT WS416 Set	Includes CMIT 5, Rycote Windshield Kit 416, 260mm cable with Low Profile XLR-3F, W 140b, SG 20, Premium case	\$ 2,955.00
CMIT CWS Set	Includes CMIT 5, Rycote Cyclone Windshield Kit Medium, W 140b, SG 20, Premium case	\$ 3,029.00
CMIT Mono Piano Set	Includes CMIT 5, Cinela Piano PIA-1 LP Windshield, Long Pile Fur cover, W 140b, SG 20, Premium case	\$ 3,242.00
CMIT Double M/S Piano Set	Includes CMIT 5, CCM 4 Lg, CCM 8 Lg, Cinela Piano PIA-3S LP Windshield, Long Pile Fur cover, K DMS 5U, AK DMS 3U, W 140b and SG 20	\$ 7,875.00
	<i>MiniCMIT Microphones include SG20 stand adaptor, W 140 foam windscreen and premium case</i>	
MiniCMIT	48V phantom power, balanced output, Fixed 70Hz/24dB Low-Cut, robust RF rejection, Includes W 140b foam windscreen & SG 20 stand clamp, Premium case, Blue finish color	\$ 2,196.00
MiniCMITag	48V phantom power, balanced output, Fixed 70Hz/24dB Low-Cut, robust RF rejection, W 140 foam windscreen, SG 20 stand clamp, Premium case, Anthracite Gray finish color (extra charge)	\$ 2,266.00
MiniCMIT Mono WS Set	Includes MiniCMIT, Rycote Windshield Kit MiniCMIT, W 140b, SG 20, Premium case	\$ 2,779.00
MiniCMIT CWS Set	Includes MiniCMIT, Rycote Cyclone Windshield Kit Small, W 140b, SG 20, Premium case	\$ 2,935.00
MiniCMIT COSI Set	Includes MiniCMIT, Cinela COSI-L MiniCMIT, W 140b, SG 20, Premium case	\$ 2,695.00
MiniCMIT Mono Pianissimo Set	Includes MiniCMIT, Cinela PIANI-MiniCMIT, W 140b, SG 20, Premium case	\$ 2,985.00
MiniCMIT M/S Set	Includes MiniCMIT, CCM 8 L, WSR MS MiniCMIT, KS 5 U, AK SU/2U, SG 20, W 140b, Premium case	\$ 5,486.00
MiniCMIT M/S Pianissimo Set	Includes MiniCMIT, CCM 8 Lg, Cinela PIANI-2 MiniCMIT, KS 5 U, AK SU/2U, W 140b, SG 20, Premium case	\$ 5,506.00
MiniCMIT DMS Pianissimo Set	Includes MiniCMIT, CCM 8 Lg, CCM 4 Lg, Cinela PIANI-3 MiniCMIT, K DMS 5 U, AK DMS/3U, W 140b, SG 20, Premium case	\$ 7,759.00

SUPERCMIT DIGITAL SHOTGUN MICROPHONE WITH INCREASED DIRECTIVITY

SUPERCMIT MICROPHONE AND DIGITAL ACCESSORIES



SUPERCMIT DIGITAL SHOTGUN MICROPHONE - a digital shotgun microphone with unparalleled "super" directivity. It is actually two shotgun microphones rolled into one. The AES CH-1 carries the SuperCMIT signal while CH-2 simultaneously carries a digital version of the standard CMIT shotgun signal. Via an additional rear-facing capsule digital signal processing (DSP) in CH-1 analyzes the signal and thereby distinguishes discrete versus diffuse sound energy. The two signals are then combined in a time and frequency-dependent manner such that the directional effect for discrete sound energy is increased while the level of diffuse sound is reduced. Up to 15 dB of diffuse reduction can be achieved!



THE SUPERCMIT 2U FEATURES THREE PUSHBUTTON-ACTIVATED FILTERS:

- High-frequency emphasis (+ 5 dB at 10 kHz) enhances speech intelligibility, and for high-frequency loss caused by windscreens
- A steep low-cut filter (18 dB/oct. below 80 Hz) suppresses wind and boom noise
- Preset 1: moderate directivity increase (green LED); ca. 11 dB reduction in diffuse sound (5 dB greater than a Schoeps CMIT 5U or channel 2 of the SuperCMIT)
- Preset 2: strong directivity increase (red LED); ca. 15 dB diffuse sound reduction. This setting is reserved for special applications since sonic artifacts can occasionally be heard.

Pairs of LEDs next to each push-button indicate the status of the filters. Even in darkness the user can read the settings and see that the microphone is operational. The settings are retained when the microphone is switched off.

The SuperCMIT requires AES-42 powering. AES-42 is standard on SD Scorpio, 833, 688, 633, some Zaxcom products and others.


The SuperCMIT is available supplied alone, or with either an AES-42 supply box (PSD 2U) or MINI-DA42 that additionally provides a D-to-A converter to plug directly into analog mixer inputs. *Each box requires 12 VDC external powering via Hirose 4-pin DC connector*

Item	Details	Price
	<i>SuperCMIT Microphones include SG20 stand adaptor, W 140 foam windscreen and premium case</i>	
SuperCMIT	Digital Shotgun w/ increased directivity, AES-42 DPP, Mode 1, Includes W 170 foam windscreen, SG 20 stand clamp, premium case, Blue finish color	\$ 3,896.00
SuperCMIT / PSD 2U	Digital Shotgun w/ increased directivity, AES-42 DPP, Mode 1, Includes <u>PSD 2U</u> AES-42 Supply, W 170 foam windscreen, SG 20 stand clamp, premium case, Blue finish color	\$ 4,291.00
SuperCMIT / MINI-DA42	Digital Shotgun w/ increased directivity, AES-42 DPP, Mode 1, Incl. <u>MINI-DA42</u> AES-42 Supply/ D-to-A converter (w/ breakout cable), W 170 foam windscreen, SG 20 stand clamp, premium case, Blue finish	\$ 4,601.00
Digital Accessories		
PSD 2U	AES-42 Supply for SuperCMIT, requires 12V external DC via Hirose 4	\$ 395.00
MINI-DA42	AES-42 Supply and D-to-A converter for SuperCMIT, 12V ext. DC via Hirose 4, includes breakout cable	\$ 705.00

STEREO MICROPHONE
FIXED ORTF STEREO MICROPHONE



MSTC 74 U ORTF STEREO MICROPHONE - a “plug-in-play” solution for capturing stereo-
phonic audio using the ORTF technique. The microphone is equipped with a fixed T-
shaped body w/ two built-in microphone amplifiers, and a matched pair of MK 4 Cardioid
capsules of the Colette Modular System. The Cardioid capsules are set 170 mm apart with
an included angle of 110° as defined by the ORTF recording Standard. The stereophonic
recording angle is 95°. The MK 4g capsules can be removed and used within the Colette
CMC Modular System. *Includes AK SU/2U “Y” Breakout cable, SG20 stand adaptor and
premium case*



Item	Details	Price
	<i>MSTC 74 U Stereo Microphones include a custom fitted premium case</i>	
MSTC 74 U	ORTF microphone, matched MK 4 capsules, XLR-5M output, includes AK SU/2U and SG 20	\$ 3,656.00
MSTC 7 U	ORTF Amplifier only, No MK capsules, XLR-5M output, includes AK SU/2U and SG 20	\$ 1,932.00



STEREO ACCESSORIES

MOUNTING & CABLING ACCESSORIES FOR STEREO MICROPHONES AND STEREO SETUPS

STEREO ACCESSORIES - Most stereophonic setups can be realized by combining conventional microphones with accessories. Schoeps produces a stunning array of accessories to support their microphones in Stereo arrangements. This includes A/B, X/Y, ORTF, M/S, Blumlein and more...



AK SU/2U



AMS 22



STC 22g

Item	Details	Price
AK 2L/SU	Stereo Adapter "Y" cable, (2) Lemo to XLR-5M, for CCM_L mics in stereo pair	\$ 240.00
AK SU/2U	0.5 meter (19.5") Y-Cable (1) XLR-5F to (2) XLR-3M	\$ 106.00
AK 2U/SU	0.5 meter (19.5") Y-Cable (2) XLR-3F to (1) XLR-5M	\$ 106.00
AMS 22	Elastic suspension with swivel and cable clamp for two CMC 6 / MK microphones in M/S array	\$ 228.00
KS 5 U	5 meter (16') XLR-5F to XLR-5M Stereo microphone cable, Kevlar reinforced, anti-twist	\$ 171.00
KS 10 U	10 meter (32.5') XLR-5F to XLR-5M Stereo microphone cable, Kevlar reinforced, anti-twist	\$ 214.00
KS 30 U	30 meter (97') XLR-5F to XLR-5M Stereo microphone cable, Kevlar reinforced, anti-twist	\$ 387.00
M 100 C	Miniature stereo mounting bar for X/Y and ORTF w pair of CCM, axial MK- with active cables or CMC 1 L / CMC 1 K	\$ 329.00
MAB 1000	1000 mm (39") stereo bar for A/B, OCT and Decca Tree mic placement, includes transport case	\$ 784.00
MS-BLM	M/S double clamp for mounting a CCM 8 or MK 8 with active cable to a BLM 3	\$ 74.00
STC 4g	ORTF mounting bar for pair of CCM 4, MK 4 capsules with active cables or CMC 1 L / CMC 1 K	\$ 128.00
STC 21g	Special version of STC for pair of CCM 21, MK 21 capsules with active cables or CMC 1 L / CMC 1 K	\$ 128.00
STC 22g	Special version of STC for pair of CCM 22, MK 22 capsules with active cables or CMC 1 L / CMC 1 K	\$ 128.00

V4 U STUDIO MICROPHONE

UNITING OUTSTANDING NEW “TECH” WITH A CLASSIC DESIGN



V4 U STUDIO MICROPHONE - The V4 U is a studio microphone that unites the outstanding technical characteristics typical of Schoeps with a timeless, classic design. The “look” of the V4 U is based on the Schoeps CM 51/3 microphone from 1951. But the V4 U is a thoroughly modern studio microphone. Its capsule, circuitry and mechanical construction are the result of extensive new development. It produces a warm, clear sonic character with smoothly rolled-off diffuse-field response. The V4’s newly designed electronics offer a very high maximum sound pressure level and excellent electromagnetic compatibility. The V4 is a fantastic vocal microphone and for the highest quality spot-miking of numerous instruments.

A unique 33mm beveled collar around the diaphragm causes its directivity to increase steadily and smoothly at high frequencies, as in a large-diaphragm microphone. Meanwhile, the superior acoustic qualities of a small-diaphragm capsule are maintained. The capsule is elastically suspended internally to reduce handling noise and other solid-borne sound. The head can be angled +/- 20°. The newly designed amplifier of the V4 U is completely symmetrical after the capsule and can accept high SPL signals up to 144dB without attenuation.

Available in either **BLUE** or **GRAY** finish

V4 U Microphones Feature:


- Optimal on-axis frequency response featuring a mild high-frequency lift
- Very smooth polar response - carefully controlled narrowing of the pattern at HF
- Diffuse-field response parallel to the 0° response with a gentle roll-off at high frequencies
- No irregularities in polar response occur at any frequency
- Directional pattern is never broader than Cardioid at any frequency
- Maximum sound pressure level of 144 dB SPL, Maximum output level = 5 V
- Output stage: Newly-developed bridge-type balanced output circuit
- Truly symmetrical balanced output, Transformerless and without capacitors
- Low output impedance that is frequency independent
- Optimal protection from electromagnetic interference
- +48V phantom power via XLR-3



Item	Details	Price
V4 Ub	V4 U Studio Microphone, BLUE finish, +48V phantom, XLR-3, Bridge-type balanced output, wood box	\$ 2,825.00
V4 Ug	V4 U Studio Microphone, GRAY finish, +48V phantom, XLR-3, Bridge-type balanced output, wood box	\$ 2,825.00
V4 SGV Set b	Set includes: V4 U Studio Microphone, BLUE finish, SGV stand adaptor, wood box	\$ 2,934.00
V4 SGV Set g	Set includes: V4 U Studio Microphone, GRAY finish, SGV stand adaptor, wood box	\$ 2,934.00
V4 USM Set b	Set includes: V4 U Studio Microphone, BLUE finish, USM-V4 “Lyre” shockmount by Rycote, wood box	\$ 2,934.00
V4 USM Set g	Set includes: V4 U Studio Microphone, GRAY finish, USM-V4 “Lyre” shockmount by Rycote, wood box	\$ 2,934.00
SGV	Stand adaptor for V4 U, for 3/8” or 5/8” threaded stands, low-profile look	\$ 109.00
USM-V4	Custom USM “Lyre” shockmount for V4 U, for 3/8” or 5/8” threaded stands	\$ 109.00

SPECIALTY MICROPHONES


VOCAL, HEADSET MICROPHONES AND SPECIAL PURPOSE



CMH64 AND CMH641 HANDHELD VOCAL MICROPHONES - The CMH is a wired handheld vocal microphone with particular immunity to plosive noise ("popping"). Because of its well-balanced frequency response it can also be used for speech pickup. The directivity and the low-frequency rolloff of the Schoeps CMH microphones reduces the risk of feedback. Using a close-up microphone increases the proportion of direct sound, and balances the built-in rolloff with proximity effect producing a clear and smooth sound. Requires 48V or 12V phantom powering. Includes SGH and wood box. *Cardioid or Supercardioid*.



HSC 4VP / HSC 4VXP HEADSET MICROPHONE - The Schoeps headset provides uncompromising sound quality while suppressing unwanted sound pickup to a very great degree. The special Cardioid (CCM 4VP or CCM 4VXP) provides effective suppression of noise from surroundings excellent protection from vocal "popping" sounds. Set includes Ultrasone HFI 680 closed-back stereo headphones, integrated gooseneck and B5 popscreen. Developed in cooperation with the sound engineers of a TV station who sought the highest possible quality of sound even under the extreme conditions of Formula 1 motor races. Microphone output is via a XLR-3M (+48V) and headphone output on 1/4" TRS connector.



POLARFLEX PLUG-IN - Create useful, new response patterns and control the balance of direct and diffuse sound across the frequency range. Our free plug-in offers powerful creative tools. Create novel polar patterns and refreshingly new sound characteristics that elsewhere don't exist. The setup uses a Schoeps microphone pair CCM2 (2H or 2S) and CCM 8 in a specific Polarflex arrangement with the Polarflex plug-in. Optimally suited e.g. as a vocal microphone or as a stereo spot microphone pair on a piano. Extensively tune the sound before or after the recording is made.

Item	Details	Price
Handheld Vocal Microphones		
CMH 64	Cardioid Vocal Handheld, 12V or 48V phantom power, LF roll-off and highly efficient integral popscreen	\$ 1,848.00
CMH 641	Supercardioid Vocal Handheld, 12V or 48V phantom power, LF roll-off and highly efficient integral popscreen	\$ 1,848.00
PS 4	Thin foam cover for CMH 64 U or CMH 641 U, gray	\$ 22.00
SGH	Tapered stand mount for CMH handheld microphones	\$ 30.00
Headset Microphones		
HSC 4VP	CCM 4VP Cardioid Headset, gooseneck on Ultrasone HFI 680 and B5 popscreen, Moderate proximity effect compensation	\$ 2,581.00
HSC 4VXP	CCM 4VXP Cardioid Headset, gooseneck on Ultrasone HFI 680 and B5 popscreen, Strong proximity effect compensation	\$ 2,581.00
	<i>The 4VXP version is recommended for outdoor and extremely noisy conditions for optional rejection of unwanted sounds</i>	
Polarflex		
A2P CCM	Polarflex mounting bracket for CCM 8 L and CCM 2 L (or CCM 2H L / CCM 2S L)	\$ 101.00
Polarflex Plug-in	FREE plug-in to Create useful, new response patterns and control the balance of direct and diffuse sound across the frequency range, minimally requires a Schoeps Omni and Figure-8 microphone pair, Download at schoeps.de	FREE

SURROUND MICROPHONE SYSTEMS


SURROUND ARRAYS, COMPONENTS, WINDSHIELDS & ACCESSORIES




DOUBLE M/S SURROUND - an expanded version of the well-known M/S stereo recording technique. In addition to a front facing directional "mid" microphone and a figure-8 "side" microphone, a rear-facing directional microphone is set up. The front- and rear-facing microphones share the signal of the Figure-8 microphone so as to form two complete, back-to-back M/S systems. This system is very compact and portable. It can be enclosed in a windshield for outdoors and allows for extensive post-production adjustment.



ORTF-3D - a Plug-and-Play setup for 3D Ambience Recording. ORTF-3D was developed aiming at optimal imaging characteristics, similar to those of the "ORTF Stereo" and "ORTF Surround" setups. It features very good 360° imaging with a pleasant, natural-sounding spatial impression and a large listening area. Applications: Ambience for sports events, film sound, gaming etc. 8 discrete recording channels for L, R, Ls, Rs and Lh, Rh, LSh, RSh. If a Center channel is needed, add the downmix L+R at a low level.



ORTF SURROUND - ORTF Surround recording method is a new system for the pickup of surround ambience. This microphone arrangement and its sonic characteristics are quite similar to those of the IRT Cross method. Both the 360° imaging and the spatial impression are of optimal quality. This is achieved with a high degree of signal separation among channels, based both on arrival-time differences and level differences. An ORTF Surround setup can be achieved with four CCM 41 L microphones and our special ORTF Surround Bar LM cross-body with integrated Lemo connectors. The special cable uses the now standardized multi-core connector for surround microphones.



OCT FRONT SYSTEM SURROUND (OCT SET) - OCT stands for "Optimized Cardioid Triangle." It is a method for picking up the three front channels of a surround recording. It can be combined with any of several possible methods for obtaining the rear channels (and thus "OCT surround"). Good separation between the center-to-left sector and the center-to-right sector is obtained with this method. The preferred setup for OCT uses a forward-facing Cardioid for the center channel. For the front L and R channels, two Supercardioid microphones are placed at opposite ends of an imaginary line running about 8cm behind the center microphone.



OCT FIVE CHANNEL SURROUND - OCT stands for "Optimized Cardioid Triangle." It is a method for picking up the three front channels of a surround recording. It can be combined with any of several possible methods for obtaining the rear channels (and thus "OCT surround"). OCT Surround is a five-channel recording method devised by Dr. Günther Theile (of the Institut für Rundfunktechnik GmbH), which does not use matrixing. In this approach, directional microphones are set apart at moderate distances (up to 1 meter), giving good separation between the front sectors L/C and R/C. It also offers good localization, a large listening area and a natural-sounding overall impression.

SURROUND MICROPHONE SYSTEMS


SURROUND ARRAYS, COMPONENTS, WINDSHIELDS & ACCESSORIES

Item	Details	Price
Sets	Double M/S *See page 18 for DMS Sets with Shotgun Microphones	
CCM DMS R SET	Includes (2) CCM 4 Lg, (1) CCM 8 Lg, Rycote Cyclone DMS Kit 1, K DMS 5U, AK DMS/3U	\$ 7,345.00
CCM DMS C SET	Includes (2) CCM 4 Lg, (1) CCM 8 Lg, Cinela Pianissimo PIANI-3 CCM, K DMS 5U, AK DMS/3U	\$ 7,445.00
Components		
AK DMS 3U	12" breakout cable for individual outputs of each microphone in DMS, XLR-7F to (3) XLR-3M	\$ 184.00
K DMS 5U	5 meter (16') XLR 7-pin extension cable for Double M/S	\$ 258.00
Complete Sets	ORTF-3D Audio	
ORTF-3D Indoor Set	Includes (4) CCM 41 L, (4) CCM 41V L, CB ORTF-3D, (4) WMS, (8) SGC, (8) K 5 LU	\$15,842.00
ORTF-3D Outdoor Set	Includes (4) CCM 41 Lg, (4) CCM 41V Lg, (2) K Surround 5 M, (1) each AK Surround H M/4U, AK Surround M/4U, WSC ORTF-3D, *Set for Hanging	\$21,028.00
ORTF-3D Outdoor Set - BTM	Includes (4) CCM 41 Lg, (4) CCM 41V Lg, (2) K Surround 5 M, (1) each AK Surround H M/4U, AK Surround M/4U, WSC ORTF-3D-BTM, *Set for Stand Mounting	\$21,275.00
Components		
CB ORTF-3D	Mounting Bar for "ORTF-3D" w/ (8) CCM 41 for indoor stand mounting or hanging	\$ 802.00
WSC ORTF-3D	Windshield, Windjammer, Suspension w/ heating for ORTF-3D, for Hanging (No mics or cables)	\$ 4,359.00
WSC ORTF-3D - BTM	Windshield, Windjammer, Suspension w/ heating for ORTF-3D, for Stand Mounting (No mics or cables)	\$ 4,606.00
	ORTF-2Plus2	
ORTF-2Plus2 Outdoor Set	4-channel plug-and-play set for 3D atmo recording, for a hemisphere with vertical extension, e.g. only for L, R, Lh, Rh	\$10,402.00
Complete Sets	ORTF Surround	
ORTF Surround Outdoor Set Heated	Includes (4) CCM 41 Lg, ORTF Surround Bar H LM, K Surround 20 M, AK Surround H M/4U, WSC-ORTF Surround windshield, integral suspension and fur cover	\$12,115.00
Components		
AK Surround M/4U	Breakout cable AES65 to (4) XLR 3-pin Male for use with ORTF Surround and ORTF-3D	\$ 245.00
AK Surround (H) M/4U	Breakout cable AES65 with Heating to (4) XLR 3-pin Male, with PS-H supply	\$ 802.00
AK Surround M/5U	Breakout cable Surround, From AES65 to (5) XLR-3 Male	\$ 258.00
K Surround 5 M	5 meter extension cable for ORTF Surround Bar LM and AK Surround M/4U	\$ 379.00
K Surround 10 M	10 meter extension cable for ORTF Surround Bar LM and AK Surround M/4U	\$ 496.00
K Surround 20 M	20 meter extension cable for ORTF Surround Bar LM and AK Surround M/4U	\$ 731.00
K Surround 50 M	50 meter extension cable with cable reel for ORTF Surround Bar LM and AK Surround M/4U	\$ 1,435.00
WSC Rain Cover	Rough foam cover with waterproofing for acoustic dampening and deflection of rain. For WSC ORTF and WSC ORTF-3D Windshields, Hanging version	\$ 599.00
WSC Rain Cover-BTM	Rough foam cover with waterproofing for acoustic dampening and deflection of rain. For WSC ORTF-3D-BTM Windshields, Stand mounted version	\$ 499.00
Complete Sets	OCT-3D	
OCT-3D Set	9 Channel set for "OCT-3D" Technique, Includes: (6) CCM 41 Lg, (3) CCM 4 Lg, (1) CB-MAB, (2) MAB 1000, (9) SGC, (9) K 5 LU, (4) STR 250, (1) KMAB 1000	\$19,182.00

SURROUND MICROPHONE SYSTEMS

SURROUND ARRAYS, COMPONENTS, WINDSHIELDS & ACCESSORIES

Item	Details	Price
Complete Sets	OCT and OCT Five Channel Surround	
OCT Set	(Three front channels), Includes (2) CCM 41 Lg, (1) each CCM 4 Lg, MAB 1000, KMAB, (3) each K5 LU & SGC	\$ 6,358.00
OCT Surround Set	Includes (2) CCM 41 Lg, (3) CCM 4 Lg, (2) MAB 1000, (1) CB-MAB, KMAB, (5) each K5 LU and SGC	\$ 11,438.00
Components		
MAB 1000	1000 mm (39") stereo bar for A/B and OCT mic placement, includes transport case	\$ 784.00
CB-MAB	Mounting bracket only, for (2) MAB 1000 in OCT Five Channel Surround arrangement	\$ 580.00
	IRT Cross Mounting Bar for Ambient Recording	
IRT 250 L	IRT Cross mounting bar, 25cm, for use with CCM 4L or CMC 1 L + MK 4, High Quality 3D printed	\$ 205.00



Double M/S Plugin

The "Double M/S" plugin enables customized, intuitive decoding of the three signals of the Double M/S system. **FREE** download at Plugin Alliance.

for AAX, VST3, AU.

Input: 3 microphone signals

Output: 2.0 Stereo or 5.0 Surround. Diffuse Gain, Decorrelation



DECCA TREE SETS - It is very common to see Schoeps microphones used in the famous Decca Tree arrangement. Schoeps offers two sets for this purpose - a set with CCM 2H and the other CCM 2S microphones to suit your placement needs. The Set includes three matched CCM microphones, SGC stand adaptors, 5 meter cables, KA 40 Sphere attachments and a custom premium cases. *MAB 1000 sold separately.*

Item	Details	Price
	Decca Tree Microphone Sets	
Decca Tree Set 2H	Includes (3) each CCM 2H Lg (matched), KA 40, K5 LU and SGC, premium cases	\$ 6,102.00
Decca Tree Set 2S	Includes (3) each CCM 2S Lg (matched), KA 40, K5 LU and SGC, premium cases	\$ 6,102.00
	<i>Also available with CMC 1 U or CMC 1 L with MK 2H or MK 2S capsules, with additional costs</i>	

FOAM WINDSCREENS, HOLLOW WINDSCREENS & POP FILTERS

PUSH-ON TYPE WINDSCREENS AND POP FILTERS



WINDSCREENS AND POP FILTERS - A large range of wind and pop screens offer reduction of wind or pop noise for various applications. The choice of a suitable wind or pop screen is very important for avoiding coloration of sound pickup.



B 1 D



B 5 D



W 20 R1

Item	Details	Price
B 1	Thin foam dust cover for CCM, Gray	\$ 9.00
B 1 D	Hollow, low-profile foam popscreen, for directional capsules, Gray	\$ 72.00
B 5 Gray	Solid foam "teardrop" popscreen, Gray	\$ 14.00
B 5 Black	Solid foam "teardrop" popscreen, Black	\$ 14.00
B 5 CG	Solid foam "teardrop" popscreen, Chroma Green, <i>Special Order</i>	\$ 36.00
B 5 D	Hollow foam "teardrop" popscreen, with velvet-like flocking, best for directional capsules, Gray	\$ 36.00
B 5 D CG	Hollow foam "teardrop" popscreen, velvet-like flocking for directional capsules, Chroma Green, <i>Special Order</i>	\$ 97.00
B 55 D	As B 5 D above for side by side capsules on R2C tubes, with velvet-like flocking, Gray	\$ 101.00
B 20	50 mm basket popscreen with one layer of washable nylon fabric, Light Gray	\$ 59.00
B 20 S	50 mm basket popscreen with two layers of washable nylon fabric, Light Gray	\$ 84.00
PR 120 S	Two-layer popscreen for close-miking of vocals, no audible effect on sound image, Matte Gray	\$ 89.00
PR 120 SV	As PR 120 S above, for capsules with lateral orientation (e.g. MK 4V or MK 6), Matte Gray	\$ 89.00
W 140b	Foam windscreen for CMIT 5 or MiniCMIT shotgun microphone, Blue	\$ 32.00
W 140-black	Foam windscreen for CMIT 5 or MiniCMIT shotgun microphone, Black	\$ 32.00
W 140 CG	Foam windscreen for CMIT 5 or MiniCMIT shotgun microphone, Chroma Green, <i>Special Order</i>	\$ 60.00
W 170	Foam windscreen for SuperCMIT shotgun microphone, Light Gray	\$ 32.00
W 170 CG	Foam windscreen for SuperCMIT shotgun microphone, Chroma Green, <i>Special Order</i>	\$ 92.00
W 5	3.5" solid foam ball windscreen, best for Omni capsules on CMC body and CCM, Gray	\$ 28.00
W 5 D	3.5" hollow foam ball windscreen for directional capsules, with velvet-like flocking, Black	\$ 56.00
W 20	3" basket windscreen with nylon fabric, Light Gray	\$ 174.00
W 20 R 1	3" basket frame with synthetic fur covering windscreen, Gray	\$ 191.00
WMS	Foam windscreen with velvet-like flocking, for (2) CMC/MK or CCM in M/S (also for CMXY 4V), Gray	\$ 44.00

PARABOLIC DISH SETS



Item	Details	Price
CCM 2 Parabolic Set	Parabolic Dish w/ Omni microphone, Incl. Par-1 Kit, CCM 2 Lg, SGC, K 5 LU, Premium case for CCM	\$ 3,308.00
CCM 21 Parabolic Set	Parabolic Dish w/ Wide Cardioid microphone, Includes Par-1 Kit, CCM 21 Lg, SGC, K 5 LU, Premium case for CCM	\$ 3,308.00
CCM 4 Parabolic Set	Parabolic Dish w/ Cardioid microphone, Includes Par-1 Kit, CCM 4 Lg, SGC, K 5 LU, Premium case for CCM	\$ 3,308.00
Par-1 Kit	Parabolic Dish, without microphone, Includes Clear Disc, Handle with integrated LEMO cable, Windshield, Fur cover	\$ 1,450.00
Telinga Soft Case	Soft Case for Schoeps/Telinga Parabolic Dish	\$ 135.00
Telinga Tripod Mount	Tripod Mount for Schoeps/Telinga Parabolic Dish	\$ 89.00
Par-1 HWC	Rycote High Wind Cover for Schoeps/Telinga Parabolic Dish	\$ 150.00



Schoeps products are distributed in the United States and Canada by:
Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: (203) 269.1808 sales@reddingaudio.com

To Locate an Authorized Schoeps Dealer go to: www.reddingaudio.com
Replacement Parts for Schoeps products can be found at www.reddingaudioshop.com

Product design, contents and pricing subject to change without notice