



AUDIOROOT - U.S.A. Price List

July 10, 2025

	A	B	C	D
1				
2				
3				
4				
5				
6				
7				
8	Order Code / Item ID	Item Description		Price
9				
10				
11		Portable Stereo Microphone Preamp with Analog Outputs		
12	FEMTO	Battery-powered stereo microphone preamp with 48V phantom power, Powered by (2) 9V batteries or EXT DC		\$679.00
13	FEMTO-PSU	Universal power supply for FEMTO		\$145.00
14				
15		Portable Stereo Microphone Preamp with DIGITAL AES/SPIDF Outputs		
16	uPRE MKII	Battery-powered stereo microphone preamp with 48V phantom power and AES-3/SPIDF 24bits/192kHz digital output, uses (2) 9V batteries, Microphone Inputs via (2) TA3 Mini-XLR, Digital output or Unbalanced analog outputs via TA5 Mini-XLR, with M/S Decoding, Stereo linking		\$989.00
17	uPRE MKII cable kit	Cable kit for uPRE MKII, Includes: (2) XLR-3F to TA3F Mini-XLR <u>MIC IN</u> cables, (1) TA5F Mini-XLR to (2) mini XLR3 Stereo <u>ANALOG OUT</u> cables and (1) AES OUT 1 XLR3 AES output cable		\$140.00
18	uPRE MKII-PSU	Universal power supply for uPRE MKII		\$145.00
19				
20		DC Power Distributors & Fuel Gauges for Soundbags		
21	eSMART TRIO	Advanced Compact Smart-Battery DC Distribution box, (3) TA4M independent inputs, (7) Hirose-compatible 4-pin DC outputs, (1) TA4F Power + SMBus Data output, (1) USB-A Quick Charge 3.0 port and (1) USB-C port with Power Delivery, Three Colorful Displays: (1) x 96x64 pixels multi-color OLED display for Data and (2) x 128x28 pixels Blue		\$689.00
22				

	A	B	C	D
23	eSMART DUO	Ultra-small DC power Distribution box for "Sound Bags" with Modular "Customizable" Input assemblies for eSMART lithium batteries, Includes standard Input (2) TA4M 8cm cable assembly, <i>*Other OPTIONAL INPUT Assemblies available separately*</i> , (6) Hirose-compatible DC outputs (4 main, 2 auxiliary) on the rear panel, with one output supporting SMBus battery data aggregation, perfect for ENG sound bags, All output cables enter and exit from the bottom of the box, Colorful OLED fuel gauge with (4) selectable main display layouts (combined, individual, legacy, auto) to suit user preference and displays remaining capacity (%), estimated running time left, battery voltage, current consumption, battery pack temperature and battery charge/discharge cycles count		\$419.00
24	eSMART DUO SET-TT1	Set includes: eSmart DUO Ultra-small DC power Distribution box with (1) eTA4F-OUT-4W Smart Li-ion battery input		\$459.00
25	eSMART DUO SET-TT2	Set includes: eSmart DUO Ultra-small DC power Distribution box with (2) eTA4F-OUT-4W Smart Li-ion battery input		\$499.00
26				
27	eSmart DUO Add-ons	eSmart DUO Modular Input Assemblies		
28	DUO-CAB-TC	(1) TA4M and (1) Smart Battery Cup Input cable assembly module for eSmart DUO, TA4M is 8cm length, Battery Cup is 30cm length		\$72.00
29	DUO-CAB-CC	(2) Smart Battery Cups Input cable assembly module for eSmart DUO, 30cm length		\$79.00
30	DUO-CAB-TT	(2) TA4M Input cable assembly module for eSmart DUO, 8cm length, <i>*This is standard assembly pre-installed on the eSmart DUO</i>		\$65.00
31				
32	eSMART BG-DH MKII	Ultra-small DC power Distribution box for "Sound Bags" with Hirose-compatible 4-pin power outputs for eSMART lithium battery, Input via hardwired cable with eSMART battery adaptor, (1) unfused SMBus Data pass-thru output, (3) fused outputs, (2) non-fused auxiliary outputs, perfect for ENG sound bags, All output cables enter and exit from the bottom of the box, Colorful OLED fuel gauge displays remaining capacity (%), estimated running time left, battery voltage, current consumption, battery pack temperature and battery charge/discharge cycles count		\$289.00
33				
34	eSMART BG-DU	Compact DC Power Distribution box for "Sound Bags" with (1) unfused SMBus Data pass-thru output (7) protected Hirose-compatible 4-pin outputs, (3) locking On/Off switches and full-featured Colorful OLED fuel gauge showing remaining capacity (%), run time estimation, battery voltage, power consumption, power and coulomb cycle counter, for eSMART lithium battery, All cables enter and exit from the bottom of the box, <i>*Requires Auditoroot eHRS4-OUT-4W Smartcap to Hirose 4-pin input cable sold separately for SMBus Data features, eSMART BG-DU is also compatible with NP-1 type batteries</i>		\$389.00

	A	B	C	D
35	eSMART BG-DU-REG	Compact DC Power Distribution box for "Sound Bags" with regulated outputs , (1) unfused SMBus Data pass-thru output (7) protected Hirose-compatible 4-pin outputs, (3) locking On/Off switches and full-featured Colorful OLED fuel gauge showing remaining capacity (%), run time estimation, battery voltage, power consumption, power and coulomb cycle counter, for eSMART lithium battery, All cables enter and exit from the bottom of the box, *Requires Audioroot eHRS4-OUT-4W Smartcap input cable sold separately for SMBus Data features, Regulated outputs: (2) fully isolated 12V/12W outputs on two Hirose connectors that can help resolving ground loops issues, (1) 9V/18W output on two Hirose connectors used to power wireless receivers and transmitters		\$649.00
36				
37				
38	vmDBOX	Ultra-small, DC Power Distribution box for "Sound Bags" with (6) protected Switchcraft 760 locking power outputs with built-in DC voltmeter, Input: Switchcraft 760 locking		\$225.00
39	vmDBOX-HRS	Ultra-small, DC Power Distribution box for "Sound Bags" with (1) unfused & (5) protected Hirose-compatible 4-pin power outputs with built-in BLUE LED DC voltmeter, Input: Hirose-compatible 4-pin connector		\$259.00
40	vmDBOX-HRS-cc	Ultra-small, DC Power Distribution box for "Sound Bags" with (1) unfused & (5) protected Hirose-compatible 4-pin power outputs with built-in OLED multi-function meter that's a voltmeter, ampmeter, Ahmeter, wattmeter and timer for battery, Input: Hirose-compatible 4-pin connector		\$219.00
41				
42	eSMART BPA	Smartcap Power adaptor for eSMART lithium battery with (4) Switchcraft 761K power outputs, switchable 2 by 2, Serial output for optional eSMART BG fuel gauge		\$159.00
43	eSMART BPA-H	Smartcap Power adaptor for eSMART lithium battery with (4) Hirose-compatible 4-pin power outputs, switchable 2 by 2, Serial output for optional eSMART BG fuel gauge		\$189.00
44				
45	DC Power Distributor for Sound Carts			
46	eSMART K-ART	Location Sound Cart Universal DC Distribution System with TEN switchable DC power paths and (16) DC outputs, Features: Dual Battery XLR 4-Pin Inputs, (12) protected Hirose-compatible 4-pin outs, (4) protected XLR 4-Pin Outs, (4) ground isolated USB ports, Two color OLED fuel gauges with real-time SOC battery monitoring displaying remaining capacity (%), run time estimation, battery voltage, power consumption, power and coulomb cycle counter. Designed for Smart Batteries but also compatible with any battery ranging from 9 to 18V DC		\$1,145.00
47	K-ART Options	eSmart K-ART can fit up to four DC/DC converters, optional at time of order :		
48	K-ART OPT 30W	12V/30W regulated and ground isolated DC/DC converter (up to 2 per unit)		CALL
49	K-ART OPT 20W	12V/20W regulated and ground isolated DC/DC converter (up to 2 per unit)		CALL
50	K-ART OPT 12W	12V/12W regulated and ground isolated DC/DC converter (up to 2 per unit)		CALL
51	K-ART PSU-4	15V/4A power supply for eSMART K-ART		CALL

	A	B	C	D
52	K-ART PSU-10	15V/10A power supply for eSMART K-ART		CALL
53	K-ART PSU-16V	16V/9.38V power supply for eSMART K-ART		CALL
54				
55				
56	"eSmart" Smart Lithium batteries			
57	eSMART Li-48neo	14.4V 48Wh smart lithium battery with OLED Display with real time display of the battery's SOC information, Fully SMBus communication compatible		\$265.00
58	eSMART Li-96neo	14.4V 96Wh smart lithium battery with OLED Display with real time display of the battery's SOC information, Fully SMBus communication compatible		\$355.00
59	eSMART Li-49Wh	14.4V 49Wh smart lithium battery, Fully SMBus communication compatible		\$139.00
60	eSMART Li-98Wh	14.4V 98Wh smart lithium battery, Fully SMBus communication compatible		\$199.00
61				
62	eSMART Li-cap	Protective cap for eSMART Lithium batteries		\$4.99
63	eSMART ionGUARD	Protective Fireproof bag for eSMART Li-48neo, Li-96neo, Li-49Wh or Li-98Wh smart lithium batteries		\$11.00
64	FCOLABL149	Replacement battery label for eSMART Li-48neo		\$16.00
65	FCOLABL148	Replacement battery label for eSMART Li-96neo		\$16.00
66				
67	Smart Battery Chargers			
68	eSMART MONO	1 bay, 2 Amps desktop smart battery charger with color OLED SOC display, 3 hour charge time, Included Power Supply 90-260VAC, 24V, 3A DC		\$279.00
69	eSMART DUAL	2 bays, 2 Amps desktop smart simultaneous battery charger with color OLED SOC display, Intelligent Charging algorithm, Included Power Supply 90-260VAC, 24V, 3.4A DC		\$379.00
70	eSMART QUAD	4 bays, 2 Amps desktop smart simultaneous battery charger with color OLED SOC display, PWM controlled fan with Active Thermal Management system, IEC C14 power input		\$849.00
71	eLC-SMB	Portable single smart battery charger, SMBus 1.1 compliant, 5 led bar-graph indicates charging progress		\$269.00
72	SMB-OC	Spare output cable for eLC-SMB		\$40.00
73	ZZ-108-003	24V / 3.34A AC/DC replacement power adapter for eSMART DUAL charger		\$92.00
74				
75	Smart Battery Holsters / Holders			
76	eSMART BH1-H	Single smart battery holder/holster with 60cm output cable to Hirose 4-pin, 4W, plus Auxilary integral DTAP output connector		\$269.00
77	eSMART BH1-T	Single smart battery holder/holster with 60cm output cable to TA4F, 4W, plus Auxilary integral DTAP output connector		\$279.00

	A	B	C	D
78	eSMART BH1-X	Single smart battery holder/holster with 60cm output cable to XLR-4F, 4W, plus Auxiliary integral DTAP output connector		\$279.00
79		<i>*Custom cable lengths available on any BH1 from 20cm to 150cm by special order, contact us for quote and lead time</i>		
80				
81		<i>*BH2-D versions have (2) output cables to connect to separate DC inputs, e.g. eSmart TRIO, eSMART K-ART</i>		
82	eSMART BH2-D-H	Dual smart battery holder/holster with (2) 60cm output cables to Hirose 4-pin, 4W, plus Auxiliary integral DTAP output connector		\$359.00
83	eSMART BH2-D-T	Dual smart battery holder/holster with (2) 60cm output cables to TA4F, 4W, plus Auxiliary integral DTAP output connector		\$359.00
84	eSMART BH2-D-X	Dual smart battery holder/holster with (2) 60cm output cables to XLR-4F, 4W, plus Auxiliary integral DTAP output connector		\$359.00
85		<i>*Custom cable lengths available on any BH2-D from 20cm to 150cm by special order, contact us for quote and lead time</i>		
86				
87		<i>*BH2-C versions have (1) Actively COMBINED output cable to connect to a single DC input, e.g. eSMART BG-DU, field mixer</i>		
88	eSMART BH2-C-H	Dual smart battery holder/holster with (1) 60cm output cable actively combined to single Hirose 4-pin, 4W, plus Auxiliary integral DTAP output connector		\$479.00
89	eSMART BH2-C-T	Dual smart battery holder/holster with (1) 60cm output cable actively combined to single TA4F, 4W, plus Auxiliary integral DTAP output connector		\$479.00
90	eSMART BH2-C-X	Dual smart battery holder/holster with (1) 60cm output cable actively combined to single XLR-4F, 4W, plus Auxiliary integral DTAP output connector		\$479.00
91		<i>*Custom cable lengths available on any BH2-C from 20cm to 150cm by special order, contact us for quote and lead time</i>		
92				
93	Battery Eliminators			
94	eSMART ABE	Active smart battery Eliminator with TA4M input connector, with smart battery emulator circuit (Note: eSMART ABE is NOT compatible with the Aaton Cantar Mini)		\$199.00
95	PS-15-36W	15V/2.4A PSU for eSMART ABE with TA4F connector		\$189.00
96	PS-15-90W	15V/6A PSU for eSMART ABE with TA4F connector		\$235.00
97				
98	Battery Couplers			
99	eSMART BC1150	6 bay battery coupler in Pelican PC1150 with built-in 2 x 4A sequential charger and eINK display		\$1,399.00
100	BC1150-24V	24V/6.66A power supply unit for eSMART BC1150 built-in charger		\$339.00
101	BC1150-PSU	15V/10A power supply unit for eSMART BC1150		\$379.00

	A	B	C	D
102				
103	Smart Battery Output Cables			
104	eCON-OUT	Battery output cable - without connector		\$35.00
105	eCON-OUT-4W	Battery output cable - without connector - 4 conductors (with telemetry)		\$41.00
106	eCON-OUT-4W-WL	Battery output cable - without connector - 4 C - white label/unbranded		\$41.00
107	eCOIL-OUT	Battery output coiled cable - without connector		\$35.00
108	eXLR4-OUT	Battery output cable - XLR 4-pin version		\$48.00
109	eXLR4-OUT-4W	Battery output cable - XLR 4-pin version – 4 wires for use with K-ART		\$55.00
110	eXLR4-COIL-OUT	Battery output coiled cable - XLR 4-pin version		\$48.00
111	eHRS4-OUT	Battery output cable - Hirose 4-pin version		\$48.00
112	eHRS4-COIL-OUT	Battery output coiled cable - Hirose 4-pin version		\$48.00
113	eTA4F-OUT	Battery output cable - TA4F version		\$48.00
114	eTA4F-OUT-4W	Battery output cable - TA4F version - 4 conductors (with telemetry), use with TRIO, DUO and recorders like SD 833 / 888 / Scorio		\$48.00
115	eTA4F/4W-HRS4-OUT	Battery output Y cable - (1) TA4F (4 wires) + (1) Hirose 4-pin (2 wires)		\$95.00
116	eTA4F-RA/4W-HRS4-OUT	Battery output Y cable - (1) TA4F right-angle (4 wires) + (1) Hirose 4-pin (2 wires)		\$95.00
117	eHRS4-OUT-5.0	Battery output cable - Hirose 4-pin – 5.0 Amps limited		\$59.00
118	eXLR4-OUT-5.0	Battery output cable - XLR 4-pin version – 5.0 Amps limited		\$72.00
119	eHRS4-2X-OUT	Battery output Y cable - (2) Hirose 4-pin		\$72.00
120	eHRS4-OUT-4W	Battery output cable - Hirose 4-pin - 4 wires for use with BG-DU		\$55.00
121	eHRS4-OUT-4W5.0	Battery output cable - Hirose 4-pin – 5.0 Amps limited – 4 wires		\$59.00
122	eHRS4-HSW-4W	Hotswap battery cable for eSMART BG-DU and BG-DU-REG		\$119.00
123	eXLR4-HSW-4W	Hotswap battery cable for eSMART K-ART		\$119.00
124	eTA4F-HSW-4W	Hotswap battery cable with TA4F output		\$119.00
125	eHRS4RA-OUT	Battery output cable - Hirose 4-pin right-angle		\$48.00
126	eHRS4RA-OUT-4W	Battery output cable - Hirose 4-pin right-angle – 4 wires for use with BG-DU		\$55.00
127	eZAXRX-OUT	Battery output cable – for Zaxcom QRX series (761K right-angle)		\$48.00
128	eZAXSH-OUT	Battery output cable – for Zaxcom IFB200, TRX900CL & RX200 (760K right-angle)		\$48.00
129	eSRARX-OUT	Battery output cable – for Lectrosonics Sra/b/c (S761K right-angle)		\$48.00
130				
131	Power Distributor Cables			
132	eHRS4-760	Hirose 4-pin Male to Switchcraft 760 power cable (2.5mm I.D / short barrel / non locking)		\$41.00

	A	B	C	D
133	eHRS4-760K	Hirose 4-pin Male to Switchcraft 760K power cable (2.5mm I.D / short barrel / locking), for Zaxcom IFB200 – TRX900CL – RX200		\$41.00
134	eHRS4-760KR/A	Hirose 4-pin Male to Switchcraft right-angle 760K power cable (2.5mm I.D / short barrel / locking), for Zaxcom IFB200 – TRX900CL – RX200		\$55.00
135	eHRS4-S760	Hirose 4-pin Male to Switchcraft S760 power cable (2.1mm I.D / short barrel / non locking), for Lectrosonics UCR411 – IGBT4		\$41.00
136	eHRS4-S760K	Hirose 4-pin Male to Switchcraft S760K power cable (2.1mm I.D / short barrel / locking), for Lectrosonics SRa – SRb – Src		\$41.00
137	eHRS4-761K	Hirose 4-pin Male to Switchcraft 761K power cable (2.5mm I.D / long barrel / locking), for Zaxcom QRX series		\$41.00
138	eHRS4-761KR/A	Hirose 4-pin Male to Switchcraft right-angle 761K power cable (2.5mm I.D / long barrel / locking), for Zaxcom QRX series		\$55.00
139	eHRS4-S761K	Hirose 4-pin Male to Switchcraft S761K power cable (2.1mm I.D / long barrel / locking)		\$41.00
140	eHRS4-S761KR/A	Hirose 4-pin Male to Switchcraft right-angle S761K power cable (2.1mm I.D / long barrel / locking)		\$55.00
141	eHRS4-HRS4	Hirose 4-pin Male to Hirose 4-pin Male power cable		\$55.00
142	eHRS4-HRS4J	Hirose 4-pin Male to Hirose 4-pin Female power cable (extender)		\$55.00
143	eHRS4-HRS4-2.0	Hirose 4-pin Male to Hirose 4-pin Male power cable – 2.0 Amps limited, for For Zaxcom MAXX and Nomad		\$85.00
144	eHRS4-TA4F-2.0	Hirose 4-pin Male to Switchcraft TA4F power cable – 2.0 Amps limited, for For SD 833 when using Li-49Wh		\$98.00
145	eHRS4-HRS4R/A	Hirose 4-pin Male to Hirose 4-pin Male right-angle cable		\$55.00
146	eHRS4R/A-HRS4R/A	Hirose 4-pin Male right-angle to Hirose 4-pin Male right angle cable		\$55.00
147	eTA4F-HRS4	Hirose 4-pin Male to Switchcraft TA4F power cable		\$55.00
148	eTA4F-HRS4-4W	Hirose 4-pin Male to Switchcraft TA4F power cable - 4 conductors, To connect SD 8xx series to BG-DU or BG-DH MKII		\$55.00
149	eTA4M-HRS4-4W	Hirose 4 pin male to Switchcraft TA4M power cable - 4 conductors, To connect BG-DU to TRIO		\$55.00
150	eTA4FR/A-HRS4	Hirose 4-pin Male to Switchcraft TA4F right-angle power cable		\$55.00
151	eTA4FR/A-HRS4R/A	Hirose 4-pin Male right-angle to Switchcraft TA4F right-angle power cable		\$55.00
152	eHRS4-DTAP	Hirose 4-pin Male to D-TAP battery connector		\$41.00
153	e760K-S760	Switchcraft 760K to S760 power cable (2.1mm I.D / short barrel / non locking), vmDBOX to UCR411		\$41.00
154	e760K-TA4F	Switchcraft 760K to TA4FLX power cable, for vmDBOX to Scorpio / SD8XX		\$48.00
155	e760K-DTAP	Switchcraft 760K to D-TAP battery connector, for vmDBOX		\$41.00
156	eXLR4-760K	XLR 4-pin Female to Switchcraft 760K power cable (2.5mm I.D / short barrel / locking)		\$41.00
157	eXLR4-HRS4	XLR 4-pin Female to Hirose 4-pin Male power cable		\$41.00
158	eXLR4-XLR4	XLR 4-pin Female to XLR 4-pin Male power cable		\$41.00
159	eXLR4-HRS4R/A	XLR 4-pin Female to Hirose 4-pin Male right angle power cable		\$41.00

	A	B	C	D
160	eHRS4-2X-HRS4	Hirose 4-pin Male to (2)Hirose 4-pin Male plug "Y" splitter cable, 60cm long		\$70.00
161	eHRS4-3X-HRS4	Hirose 4-pin Male to (3) Hirose 4-pin Male plug splitter cable, 60cm long		\$85.00
162	eHRS4-2X-HRS4J	Hirose 4-pin Male to (2) Hirose 4-pin Female socket "Y" splitter cable, 35cm long		\$85.00
163	eTA4F-TA4M-4W	Switchcraft TA4F to TA4M power cable - 4 conductors, 60cm long, To connect SD8xx series to eSMART TRIO		\$55.00
164				
165	Timecode cables			
166	tTC	5-pin Male to 5-pin Male Timecode cable		\$99.00
167	tTC2BNC	5-pin Male TC to BNC Timecode cable, Timecode going OUT of the 5-pin connector		\$76.00
168	tBNC2TC	BNC to 5-pin Male Timecode cable, Timecode going INTO the 5-pin connector		\$75.00
169	tBNC2TCRA	Right-angle BNC to 5-pin Male Timecode cable, Timecode going INTO the 5-pin connector		\$82.00
170	tTC2BNCRA	5-pin Male to right-angle BNC Timecode cable, Timecode going OUT of the 5-pin connector		\$82.00
171	tTCR/A	5-pin Male to 5-pin Male right-angle Timecode cable		\$122.00
172	tR/ATCR/A	5-pin Male right-angle to 5-pin Male right-angle Timecode cable		\$136.00
173				
174	Smart Lithium-Ion Phosphate Batteries			
175		<i>Due to IATA and ADR regulations LiFe-256Wh and 576Wh batteries will only be drop-shipped directly to your customer from Audioroot in France exclusively as fully regulated goods with FEDEX. Audioroot cannot ship these batteries with UPS.</i>		
176	eSMART LiFe-256Wh	12.8V 256Wh smart lifepo4 battery in pelicase 1200		CALL
177	eSMART LiFe-256Wh-NC	12.8V 256Wh smart lifepo4 battery - without pelicase		CALL
178	eSMART LiFe-576Wh	12.8V 576Wh smart lifepo4 battery in pelicase iM2075		CALL
179	eLC-PO4	4A LifePo4 travel charger - SILENT		\$245.00
180	eLC-PO10-S	10A LifePo4 travel charger - SILENT		\$289.00
181	eXLR4-XLR4-4W	4 wires XLR4M-XLR4F power cable		\$52.00
182	eXLR4-HRS4-4W	4 wires XLR4M-HRS4 power cable		\$52.00
183	eXLR4-TA4F-4W	4 wires XLR4M-TA4F power cable		\$52.00
184				
185	Power Converters			
186	GLE-12W	12V / 12 watts DC/DC converter – ground loop eliminator		\$115.00
187	GLE-20W	12V / 20 watts DC/DC converter – ground loop eliminator		\$185.00
188	GLE-30W	12V / 30 watts DC/DC converter – ground loop eliminator		\$210.00
189	GLE-60W	12V / 60 watts DC/DC converter – ground loop eliminator		\$435.00
190	eUSB-HRS4	9-18V Hirose USB 500mA isolated power converter/adaptor		\$90.00
191	eUSB-HRS4-LC	12-24V Hirose USB 1000mA non-isolated power converter/adaptor		\$45.00

	A	B	C	D
192	eUSB-2XHRS4	10-24V Hirose DUAL USB 2400mA non-isolated power converter/adapter		\$60.00
193	eUSB-4XHRS4	10-24V Hirose QUAD USB 2400mA non-isolated power converter/adapter		\$90.00
194	eUSB-C-HRS4	10-24V Hirose to USB type C converter with Power Delivery + USB QC 3.0		\$90.00
195				
196	Wireless Antennas			
197	SSMA-ANT	SSMA antenna for wireless transmitter		\$23.00
198	SWIV-ANT	Tilting/swivel antenna for wireless transmitter or receiver		\$24.00
199	SMA-ANT	SMA antenna for wireless transmitter and receiver		\$25.00
200	SMAR-ANT	Right-angle SMA antenna for wireless receiver		\$29.00
201	SENN-ANT	Sennheiser/Wiscom compatible antenna with lemo connector		\$32.00
202	BNC-ANT	BNC antenna for wireless receiver		\$26.00
203				
204	Audio Cables			
205	aXLR5F2YX3	XLR-5F to (2)XLR-3M Balanced audio cable, 60cm length		\$78.00
206	aXLR5F2YT3	XLR-5F to (2) TA3F Balanced audio cable, 60cm length		\$75.00
207				
208	RF Cables - Standard 500mm length			
209	SMAR/A-SMAR/A	SMA Right-angle to SMA Right-angle RG-174/U 500mm RF cable, DC to 800Mhz, 50 ohms, VSWR: 1.2max		\$39.00
210	SMAR/A-BNCR/A	SMA Right-angle to BNC Right-angle RG-174/U 500mm RF cable, DC to 800Mhz, 50 ohms, VSWR: 1.2max		\$44.00
211	BNC-BNCR/A	BNC to BNC Right-angle RG-174/U 500mm RF cable, DC to 800Mhz, 50 ohms, VSWR: 1.2max		\$44.00
212		<i>*Custom lengths up to 1.5m max available for RF cables by request as special order, contact us for quote and lead time</i>		
213				
214				
215				
216				
217				
218		Product design, contents and pricing subject to change without notice		
219		Redding Audio, LLC not responsible for errors or omissions		